

temptation high desk



MVM Csoport árlista

TEMPTATION MAGAS ASZTALOK / MÉDIA ASZTALOK



sedus


list of contents

Product overview	5
Surface matrix	6 - 7
System overview	8 - 9
Product description	10 - 12
high desk	14 - 18
high desk 700 mm deep	14
high desk 800 mm deep	15
high desk 900 mm deep	16
high desk 1000 mm deep	17
high desk 1200 mm deep	18
high desk with function rail	19
high desk 1200 mm deep with function rail	19
high desk with media wall	20
high desk with media wall 900 mm deep	20
Recommendation for high desk with media wall	21
Accessories	22 - 31
Electrification high desk	22 - 23
Electrification high desk with function rail	24 - 25
Electrification high desk with media wall	26 - 27
Function bridge 3rd level	28
Accessories for function bridge 3rd level	29
Cable grommet	30
CPU holder for mini-PCs	30
Folding cable channel	30
Vertical cable management	30
Smart box	31


The prices are recommended retail prices excl. VAT.
Technical changes in shapes, colours and options are reserved
for all products.

temptation high desk product overview

high desk



high desk with media wall



Veneer grain/design grain

Dimensions in mm

Surface Matrix

		Top / ABS edge Media wall													
Melamine															
<i>wood selection</i>															
K80	ash light	•	•												
K81	oak light	•	•												
K82	oak natural	•	•												
K98	ash dark	•	•												
N10	likewood oak	•	•												
N12	likewood oak honey	•	•												
<i>architecture line</i>															
K74	natural white	•	•												
K94	clear white	•	•												
02	arctic white	•	•												
K77	light grey	•	•												
K78	pebble grey	•	•												
K79	stone grey	•	•												
K124	black	•	•												
K170	graphite black	•	•												
Melamine fire protection class B1															
K74	natural white	•	•												


Surface Matrix

		Top / ABS edge Media wall Workstation lamp											
Veneer													
<i>Price-group 1</i>													
B26	beech natural	•	•										
Q10	hickory natural	•	•										
<i>Price-group 2</i>													
H11	maple natural	•	•										
H12	heartwood maple natural	•	•										
C17	oak wenge varnish	•	•										
C11	oak natural	•	•										
C19	rustic beam oak light	•	•										
D14	walnut smooth	•	•										
D16	walnut rustic	•	•										
E41	ash natural	•	•										
E10	ash white	•	•										
E45	ash black	•	•										
U10	elm natural	•	•										
<i>Price-group 3</i>													
C20	rustic beam oak dark	•	•										
D11	walnut dark	•	•										
D15	walnut wild	•	•										
HPL													
<i>Price-group 2</i>													
J10	soft touch white	•	•										
J11	soft touch black	•	•										
J12	soft touch sand	•	•										
Powder coating													
134	neutral white			•									
135	neutral white aluminium			•									
139	neutral black			•									

In modular installations, the continuous veneer grain according to the floor plan is not possible for the veneers C19 rustic beam oak light and C20 rustic beam oak dark.

temptation high desk system overview

Order rule



Basic desk, one side linkable
(mandatory)


+

Extension shelf
(optional)

+


End-of-row desk
(mandatory)

temptation high desk system overview




CPU Holder for mini-PCs

For integration of mini PC beneath the desktop




Media wall back

Two-piece back panel with handle for easy disassembly and optimum access.




Monitor-connection (OPT-090)

Universal preparation for the connection of a monitor (VESA 200 x 200, 400 x 200, 400 x 400) with two additional round grommets to conceal the monitor cables.



Media wall with integrated socket module

Preparation of the front of the media wall for the Power Frame socket module (OPT-094 Power Frame only, OPT-095 Power Frame + monitor connection)



temptation high desk product description

Product family

The high desk with optional media integration supports formal and informal communication in the central zone. At a height of 1050 mm, the high desk invites communication when standing. Meetings are quicker and brainstorming is stimulated. The changing posture from sitting at a workstation and standing at the high desk during a meeting contributes to well-being and performance. The high desks with a function rail can be fitted with screens and individual accessories and shine as temporary workplaces in open space landscapes.

The product family includes:

- high desk basic desk, not linkable
- high desk basic desk, linkable, extension element, end-of-row desk
- high desk with function rail
- high desk with media wall

The desk's design allows for a wide range of uses. From linked configurations for canteens through intelligent integration of media technology to the functional workplace. temptation high desk is a system for a wide range of uses.

Frame system

The support beams with a functional profile developed by Sedus are at the heart of the concept. As the surrounding element they form the outer support beam frame. A shadow gap emphasises the lightweight look of the desktop and system support beam.

Leg frames

The square steel leg elements with a cross section of 70 x 70 mm are bolted to the support beam frame. They are fitted with a centring pivot for optimum stability of the desk. Braces are used to create a force- and form-fitting connection between the individual legs and the frame construction.

The all-round stainless steel foot rail is screwed to the leg elements or the media wall. For the optimal use of bar stools the foot rail on the long side of the high desk is set back.

Desktop shapes

For temptation high desk in the standard version and for the linked versions the following linear desktops are available:

- in the widths: 1200, 1400, 1600, 1800, 2000 mm
- in the depths: 700, 800, 900, 1000, 1200 mm

The high desk with media wall is available in the dimensions 1800 x 900 mm.

The high desk has a 19 mm thick table top. For the high desk with a function rail a 25 mm thick table top is used.

Model features

high desk basic version and linkable version

The high desks are available in a basic version and a linkable version. In the linkable version linking legs with the profile of the support beam are used instead of the individual legs. The continuation of the support beam results in an extremely sturdy, visually matching connection between the basic desk and the linear element. The configuration can be extended as required by means of extension elements.

high desk with media wall

The high desk with media wall has a wall element in frame construction. The wall element consists of a support beam frame of 70 x 40 mm square tubes. On both sides the frame has 19 mm thick three-layer chipboard covering it, resulting in a total thickness of 108 mm. The media wall is 1200 mm wide, and with a height of 1873 mm it matches the storage unit height of 5 binder heights. A wide range of single colour and decorative wood effects as well as high-quality veneers are available for the wall element.

The wall is connected to the high desk by special attachments and takes on the function of a frame. The high desk with media wall has a foot rail on three sides.

The media wall allows a concealed electrical connection of the monitor and the hidden routing of audio and video connection cables. On the inside the media wall has a holder for a 3-socket module. For optimum access and easy cabling the media wall is divided into two parts and removable in moments.

Purchasing recommendations regarding screen size, connections and technical features can be found on page 19.

Electrification

Integrated socket modules

Optionally temptation high desks can be prepared for the installation of socket modules integrated into the table. This means electronic devices can be connected within easy reach of the user. The surcharge for the option "Preparation for socket module" only includes the cutout. The surcharge for the option "Preparation for socket module Powerframe" includes both the cutout and the socket module frame. The Powerframe socket module frame is available in black, white and white aluminium. The socket modules and their individually selectable inserts can be ordered from the "power & data" price list.

The following socket modules can be integrated:

- Point
- Powerframe
- Netbox Turn Comfort 3x and 6x
- Pix 1x, 2x and 3x

The folding 6-socket module "Coni" can optionally be chosen for the high desk with media wall. This is built into the desktop surface in front of the media wall.

In addition to inserting the Powerframe socket module in the table top, this socket module can also be built into the front of the media wall.

Further possibilities for electrification can be found in the price list under „Accessories“.

temptation high desk product description

Horizontal cable management

The cable trays, which fold down on both sides, are matched to the width of the desk and attached below the worktop. They can accommodate 3- or 4-socket modules to provide the power underneath the desk. The cable trays also have sufficient space for spare cable. The cable trays offer easy access when folded down. Special clips are available for socket modules or cable management. For the high desk with function rail a wider cable tray is available to allow optimum access to this cable tray from both user sides through the round grommets.

Vertical cable management

Cables are invisibly guided from the floor to the cable channel by means of an optional cable chain. The flexible cable management with cable separation and strain relief is positioned on the cable channel.

Round grommets

Cables can be guided through the table top by means of round grommets. The split round grommet with a square cover has a useful diameter of 70 mm.

For the high desk with a function rail, in addition to the square grommet the large grommet with a usable size of 250 x 90 mm is also available.

The media wall has a round, black grommet beneath the table top to guide the cable from the media wall into the desk's cable tray. If the media wall is prepared to accommodate a monitor (OPT-090), two additional round grommets as well as the drill holes for the VESA standard (200 x 200, 400 x 200, 400 x 400) are placed in the media wall for the electrical connection of the monitor. The round grommets have a useful diameter of 70 mm.

Add-on options

CPU holder for mini-PCs

The optionally available CPU holder for mini-PCs is attached on the support beam, facing towards the inside of the desk. The supporting plate is 160 mm wide and 200 mm deep. The usable height is 75 mm. The maximum load capacity is 10 kg. Limitation of usability by the support beam possible.

Third level on high desk with function rail

The multifunction groove running in the centre between the two desktops is used to hold a variety of accessories. By means of special adapters, most of the accessories can be attached without tools across the entire width of the desk.

The following elements are available:

- Function bridges
- Privacy screens
- Monitor holder for holding a monitor

The convenient and flexible attachment of the accessories on the multifunction groove means the workplace can be quickly and easily adapted to changing circumstances. In just a few moments a touchdown surface for creative work, a project table or a meeting table without accessories is created.

smart box

The smart box is pushed onto the desktop on the user side. The smart box consists of two usable elements. The lower part, which is below the desktop, is for the storage of folders or personal items. The smart box has an A4 note file and an integrated pen tray. The table has a clamping screw for securely attaching the smart box to it. The smart box is the small, open container for personal items within easy reach. The smart box is available in the colours white, white aluminium and black.

Surfaces

Frame elements

All steel frame elements are finished with solvent-free, environmentally friendly powder coatings. The frame and leg elements are available in clear white, white aluminium and black. The foot rail is made of stainless steel.

Desktop

The desktops are available in the following designs:

19/25 mm three-layer chipboard

- Melamine resin coating in a single colour or various decorative wood effects (top surface compliant with EN 14322), all-round PP laser edge in the same colour as the top
- soft touch surface with a matt look and a pleasant haptic finish, all-round 1mm ABS edging in the surface colour. The desk with the soft touch surface does not fulfill the requirements for GS certification, according to the DIN technical report 147, as it does not comply with the 3mm radius required.

The minimum light fastness is 6 on the wool scale. Substrate compliant with EN 312-2003.

19/25 mm three-layer chipboard:

- High-quality crown cut veneer surface, 3 mm veneer edge on all sides, surface in a high quality, durable, two-component water-based polyurethane lacquer.

Veneer is a natural product. The colour of the veneer is determined by the type and structure of the wood, and may vary. All woods change colour over time because of the effects of light. Natural differences are not a cause for complaint, but in fact confirm that the material is genuine.

With regard to formaldehyde emissions, the coated particle boards comply with standard E05 according to EN 717-1.

Packaging

Items are supplied in sections for on-site final assembly in order to keep the transport volume as small as possible.

temptation high desk product description

Quality & ecology

The temptation high desk is designed to meet the following requirements:




- GS test certificate
- DIN Special Report 147
- DIN EN 527-1/2/3 office desks (except for soft touch)
- BGI 650
- DIN EN 16555
- PAH confirmation for relevant components
- Tested for harmful substances
- Quality Office quality seal

The production processes are certified to:

- DIN EN ISO 14001 Environmental management
- DIN EN ISO 9001 Quality management
- DIN EN ISO 50001 Energy management

Sedus temptation high desk

high desk 700 mm deep



Fixed height 1050 mm	GTI- {29}
Melamine	FS1- {see surface matrix}
Leg support clear white	FS4- {158}
Stainless steel foot rail	F07- {238}

Width in mm	1200	1400	1600	1800	2000
-------------	------	------	------	------	------

Basic desk, not linkable

Code No. TH10HD-RECTA	W12D07	W14D07	W16D07	W18D07	W20D07
Price/EUR	1509,-	1585,-	1667,-	1758,-	1847,-

Basic desk, one side linkable

Code No. TH10HD-BDREC	W12D07	W14D07	W16D07	W18D07	W20D07
Price/EUR	1680,-	1758,-	1841,-	1931,-	2021,-

Extension shelf

Code No. TH10HD-ESREC	W12D07	W14D07	W16D07	W18D07	W20D07
Price/EUR	1169,-	1242,-	1328,-	1416,-	1509,-

End-of-row desk

Code No. TH10HD-EDREC	W12D07	W14D07	W16D07	W18D07	W20D07
Price/EUR	1078,-	1154,-	1237,-	1328,-	1416,-

+ Options



Top and edge FS1-**{see surface matrix}**

Veneer I	441,-	463,-	493,-	515,-	538,-
Veneer II	485,-	505,-	538,-	557,-	581,-
Veneer III	642,-	703,-	763,-	835,-	904,-
HPL II	485,-	505,-	538,-	557,-	581,-
likewood	42,-	49,-	56,-	60,-	66,-
B1 version K74 MAP- {6060}	32,-	37,-	42,-	52,-	59,-



Frame colour (without foot rail)

black, white aluminium FS4-**{24,119}**





Electrification

Folding cable tray (black) GEL- {KA}	55,-	59,-	61,-	63,-	65,-
---	------	------	------	------	------

Sedus temptation high desk

high desk 800 mm deep



Fixed height 1050 mm	GTI- {29}
Melamine	FS1- {see surface matrix}
Leg support clear white	FS4- {158}
Stainless steel foot rail	F07- {238}

Width in mm	1200	1400	1600	1800	2000
-------------	------	------	------	------	------

Basic desk, not linkable

Code No. TH10HD-RECTA	W12D08	W14D08	W16D08	W18D08	W20D08
Price/EUR	1539,-	1613,-	1696,-	1785,-	1878,-

Basic desk, one side linkable

Code No. TH10HD-BDREC	W12D08	W14D08	W16D08	W18D08	W20D08
Price/EUR	1712,-	1785,-	1870,-	1961,-	2051,-

Extension shelf

Code No. TH10HD-ESREC	W12D08	W14D08	W16D08	W18D08	W20D08
Price/EUR	1201,-	1275,-	1357,-	1448,-	1539,-

End-of-row desk

Code No. TH10HD-EDREC	W12D08	W14D08	W16D08	W18D08	W20D08
Price/EUR	1111,-	1183,-	1265,-	1357,-	1448,-

+ Options



Top and edge FS1-**{see surface matrix}**

Veneer I	406,-	470,-	515,-	521,-	543,-
Veneer II	441,-	518,-	562,-	570,-	594,-
Veneer III	735,-	858,-	933,-	945,-	987,-
HPL II	441,-	518,-	562,-	570,-	594,-
likewood	48,-	56,-	61,-	69,-	75,-
B1 version K74 MAP- {6060}	37,-	42,-	46,-	58,-	64,-



Frame colour (without foot rail)

black, white aluminium FS4-**{24,119}**




Electrification

Folding cable tray (black) GEL- {KA}	55,-	59,-	61,-	63,-	65,-
---	------	------	------	------	------

Sedus temptation high desk

high desk 900 mm deep



Fixed height 1050 mm	GTI- {29}
Melamine	FS1- {see surface matrix}
Leg support clear white	FS4- {158}
Stainless steel foot rail	F07- {238}

Width in mm	1200	1400	1600	1800	2000
-------------	------	------	------	------	------

Basic desk, not linkable

Code No. TH10HD-RECTA	W12D09	W14D09	W16D09	W18D09	W20D09
Price/EUR	1567,-	1644,-	1727,-	1818,-	1909,-

Basic desk, one side linkable

Code No. TH10HD-BDREC	W12D09	W14D09	W16D09	W18D09	W20D09
Price/EUR	1740,-	1818,-	1900,-	1991,-	2083,-

Extension shelf

Code No. TH10HD-ESREC	W12D09	W14D09	W16D09	W18D09	W20D09
Price/EUR	1230,-	1304,-	1388,-	1477,-	1567,-

End-of-row desk

Code No. TH10HD-EDREC	W12D09	W14D09	W16D09	W18D09	W20D09
Price/EUR	1138,-	1214,-	1297,-	1388,-	1477,-

+ Options



Top and edge FS1-**{see surface matrix}**

Veneer I	427,-	492,-	529,-	546,-	566,-
Veneer II	464,-	539,-	576,-	597,-	620,-
Veneer III	767,-	900,-	963,-	990,-	1032,-
HPL II	464,-	539,-	576,-	597,-	620,-
likewood	53,-	60,-	69,-	75,-	89,-
B1 version K74 MAP- {6060}	44,-	52,-	58,-	64,-	71,-



Frame colour (without foot rail)

black, white aluminium FS4-**{24,119}**



Electrification

Folding cable tray (black) GEL- {KA}	55,-	59,-	61,-	63,-	65,-
---	------	------	------	------	------

Sedus temptation high desk

high desk 1000 mm deep



Fixed height 1050 mm	GTI- {29}				
Melamine	FS1- {see surface matrix}				
Leg support clear white	FS4- {158}				
Stainless steel foot rail	F07- {238}				

Width in mm	1200	1400	1600	1800	2000
-------------	------	------	------	------	------

Basic desk, not linkable

Code No. TH10HD-RECTA	W12D10	W14D10	W16D10	W18D10	W20D10
Price/EUR	1622,-	1696,-	1779,-	1870,-	1961,-

Basic desk, one side linkable

Code No. TH10HD-BDREC	W12D10	W14D10	W16D10	W18D10	W20D10
Price/EUR	1795,-	1870,-	1953,-	2042,-	2135,-

Extension shelf

Code No. TH10HD-ESREC	W12D10	W14D10	W16D10	W18D10	W20D10
Price/EUR	1283,-	1357,-	1439,-	1531,-	1622,-

End-of-row desk

Code No. TH10HD-EDREC	W12D10	W14D10	W16D10	W18D10	W20D10
Price/EUR	1191,-	1265,-	1348,-	1439,-	1531,-

+ Options



Top and edge FS1-**{see surface matrix}**

Veneer I	492,-	546,-	600,-	611,-	648,-
Veneer II	533,-	589,-	651,-	669,-	708,-
Veneer III	821,-	923,-	1088,-	1113,-	1179,-
HPL II	533,-	589,-	651,-	669,-	708,-
likewood	58,-	66,-	75,-	89,-	100,-
B1 version K74 MAP- {6060}	56,-	59,-	64,-	71,-	76,-



Frame colour (without foot rail)

black, white aluminium FS4-**{24,119}**



Electrification

Folding cable tray (black) GEL- {KA}	55,-	59,-	61,-	63,-	65,-
---	------	------	------	------	------

Sedus temptation high desk

high desk 1200 mm deep



Fixed height 1050 mm	GTI- {29}				
Melamine	FS1- {see surface matrix}				
Leg support clear white	FS4- {158}				
Stainless steel foot rail	F07- {238}				

Width in mm	1200	1400	1600	1800	2000
-------------	------	------	------	------	------

Basic desk, not linkable

Code No. TH10HD-RECTA	W12D12	W14D12	W16D12	W18D12	W20D12
Price/EUR	1720,-	1795,-	1878,-	1968,-	2164,-

Basic desk, one side linkable

Code No. TH10HD-BDREC	W12D12	W14D12	W16D12	W18D12	W20D12
Price/EUR	1890,-	1968,-	2051,-	2143,-	2338,-

Extension shelf

Code No. TH10HD-ESREC	W12D12	W14D12	W16D12	W18D12	W20D12
Price/EUR	1381,-	1456,-	1539,-	1629,-	1825,-

End-of-row desk

Code No. TH10HD-EDREC	W12D12	W14D12	W16D12	W18D12	W20D12
Price/EUR	1290,-	1365,-	1448,-	1539,-	1735,-

+ Options



Top and edge FS1-**{see surface matrix}**

Veneer I	565,-	639,-	712,-	787,-	858,-
Veneer II	621,-	703,-	788,-	872,-	953,-
Veneer III	879,-	1009,-	1144,-	1272,-	1400,-
HPL II	621,-	703,-	788,-	872,-	953,-
likewood	69,-	77,-	95,-	106,-	114,-
B1 version K74 MAP-{6060}	60,-	70,-	78,-	92,-	99,-



Frame colour (without foot rail)

black, white aluminium FS4-**{24,119}**



Electrification

Folding cable tray (black) GEL-{KA}	55,-	59,-	61,-	63,-	65,-
---	------	------	------	------	------

Sedus temptation high desk

high desk 1200 mm deep with function rail



Fixed height 1050 mm	GTI- {29}				
Melamine	FS1- {see surface matrix}				
Leg support clear white	FS4- {158}				
Stainless steel foot rail	F07- {238}				
Width in mm	1200	1400	1600	1800	2000
Basic desk, not linkable					
Code No. TH10HD-FRECT	W12D12	W14D12	W16D12	W18D12	W20D12
Price/EUR	2057,-	2135,-	2216,-	2310,-	2397,-
Basic desk, one side linkable					
Code No. TH10HD-BDFRE	W12D12	W14D12	W16D12	W18D12	W20D12
Price/EUR	2230,-	2310,-	2390,-	2483,-	2571,-
Extension shelf					
Code No. TH10HD-ESFRE	W12D12	W14D12	W16D12	W18D12	W20D12
Price/EUR	1720,-	1795,-	1878,-	1968,-	2057,-
End-of-row desk					
Code No. TH10HD-EDFRE	W12D12	W14D12	W16D12	W18D12	W20D12
Price/EUR	1629,-	1704,-	1785,-	1878,-	1968,-

+ Options



Top and edge FS1-{see surface matrix}					
Veneer I	654,-	722,-	791,-	854,-	925,-
Veneer II	703,-	780,-	856,-	930,-	1009,-
Veneer III	916,-	1038,-	1159,-	1274,-	1398,-
HPL II	703,-	780,-	856,-	930,-	1009,-
likewood	71,-	81,-	99,-	108,-	116,-
B1 version K74 MAP- {6060}	67,-	77,-	92,-	101,-	107,-



Frame colour (without foot rail)
black, white aluminium FS4-**{24,119}**



Electrification					
Folding cable tray (black) GEL- {KA}	107,-	119,-	129,-	137,-	151,-

Sedus temptation high desk

high desk with media wall 900 mm depth



Fixed height 1050 mm	GTI- {29}
Melamine	FS1- {see surface matrix}
Holder for 3-socket module, round grommet in media wall beneath the desktop	
Leg support clear white	FS4- {158}
Stainless steel foot rail	F07- {238}
without Preparation	
Width in mm	1800
Code No. TH10MW-RECTA	
Price/EUR	3073,-

+ Options



19 mm

Top and edge FS1-**{see surface matrix}**

Veneer I	546,-
Veneer II	597,-
Veneer III	990,-
HPL II	597,-
likewood	75,-
B1 version K74 MAP- {6060}	169,-



Media wall front F33-**{see surface matrix}**

Veneer I	946,-
Veneer II	1058,-
Veneer III	1885,-
HPL II	1058,-
likewood	111,-



Media wall rear F32-**{see surface matrix}**

Veneer I	1058,-
Veneer II	1160,-
Veneer III	1964,-
HPL II	1160,-
likewood	111,-




Frame colour (without foot rail)

black, white aluminium FS4-**{24,119}**



Preparation of media wall

for monitor with universal drill template OPT- {090}	52,-
for socket module Power Frame OPT- {094}	161,-
for socket module Power Frame and monitor with universal drill template OPT- {095}	211,-
3-way socket module frame power frame in media wall F41- {24,119,158}	
black, white aluminium, clear white	



Electrification

Folding cable tray (black) GEL- {KA}	61,-
---	------

Recommendation for high desk with media wall

Monitor

Using the monitor integrated into the media wall, presentations and visualisations are presented in detail and full of contrast at short and efficient meetings.

Monitor recommendation:

A professional LED monitor with Full HD resolution with VGA + audio and at least 2 HDMI ports are an ideal prerequisite for a perfect presentation. Integrated speakers and an optional serial interface for connection of a media control.

The monitor is directly attached to the media wall without an additional holder by means of mounting holes, and with its screen size of 36-46 inches is the perfect size.

The media wall needs to be prepared accordingly for the attachment of the monitor. If the feature OPT-{090} or OPT-{095} is specified the media wall comes with two round grommets for concealed cable management and a universal drill template.

The drill template covers the VESA standard 200 x 200, 400 x 200, 400 x 400, used for the appropriate screen size as standard.

A round grommet beneath the desktop is included in delivery as standard.

Mini-PC

Using the mini-PC integrated underneath the desktop, presentations can be played directly through the network or from USB removable media, so that a quick and efficient exchange of information during meetings is facilitated.


A powerful desktop PC with low energy consumption and noise level is the ideal complement to the high desk. In terms of the dimensions these PCs are not much bigger than a CD case with a height of about 50-60 mm. The graphics card should have VGA and audio as well as an HDMI port and be able to transmit signals up to Full HD.

For quick access to USB removable media or input devices, the back USB ports on the PC can be connected with the 6-socket module of the desktop. In addition there are two front USB ports on the PC.

The mini-PC can be powered by means of a socket module in the cable tray integrated under the desk.

A holder is optionally available as an accessory for the integration of the mini-PC below the desktop.

Possible locations of the PC below the desktop and cabling with monitor and 6-socket module:



AV selector

If required, the high desk can also be equipped with an AV selector that allows different users signal transmission to the monitor at the push of a button.

Sedus temptation high desk


Electrification high desk

Round grommet with square cover (Ø 70 mm)	
EPLI-,EPMI-,EPRE-{11}	Surcharge per position 38,-
black, neutral white, white aluminium FELI-,FEMI-,FERE-{24,134, 232}	
Round grommet with brushes (Ø 70 mm)	
EPLI-,EPMI-,EPRE-{14}	Surcharge per position 95,-
chrome-plated FELI-,FEMI-,FERE-{236}	
Preparation for socket module Point (Ø 80 mm)	
EPLI-,EPMI-,EPRE-{103}	Surcharge per position 6,-
Preparation for Wireless Charger, visible (Ø 60,5 mm)	
EPLI-,EPMI-,EPRE-{112}	Surcharge per position 6,-
Preparation for Wireless Charger, not visible	
EPLI-,EPMI-,EPRE-{104}	Surcharge per position 6,-
Preparation for socket module Pix 1-socket	
EPLI-,EPMI-,EPRE-{113}	Surcharge per position 6,-

Details

Charger and socket units must be ordered separately from the price list “power & data”.

- Preparation
- Round grommet Ø 70 mm
- Round grommet with brushes (Ø 70 mm)



Sedus temptation high desk

Electrification high desk

Preparation for socket module Pix 2-socket	
EPLI-,EPMI-,EPRE-{114}	Surcharge per position 12,-
Preparation for socket module Pix 3-socket	
EPLI-,EPMI-,EPRE-{115}	Surcharge per position 18,-
Details: For table widths of 1400 mm only EPMI is possible!	
Preparation for socket module Netbox Turn Comfort 3-socket	
EPMI-{101}	Surcharge per position 78,-
Preparation for socket module Netbox Turn Comfort 6-socket	
EPMI-{102}	Surcharge per position 78,-
Details: For table width of 1200 mm no combination with other preparations and cable grommets possible!	
Preparation for socket module Coni, 3-socket	
EPLI-,EPMI-,EPRE-{106}	Surcharge per position 78,-
Details: For table widths of 1400 mm only EPMI is possible!	
Preparation for socket module Coni, 6-socket	
EPMI-{107}	Surcharge per position 78,-
Cable grommet large (250 x 90 mm)	
EPLI-,EPMI-,EPRE-{13}	Surcharge per position 151,-
black, white aluminium, neutral white FELI-,FEMI-,FERE-{24,119,134}	
chrome-plated FELI-,FEMI-,FERE-{236}	Surcharge per position 388,-
Details: For table widths of 1400 mm only EPMI is possible!	
double grommet (2 x 250 mm x 90) mm with split opening for access from both user sides	
EPLI-,EPMI-,EPRE-{15}	Surcharge per position 202,-
black, white aluminium, neutral white FELI-,FEMI-,FERE-{24,119,134}	
Details: For table widths of 1400 mm only EPMI is possible!	
Preparation for socket module Power Frame 3-socket	
EPLI-,EPMI-,EPRE-{17}	Surcharge per position 161,-
socket module frame black, white aluminium, neutral white FELI-,FEMI-,FERE-{24,119,134}	
Details: For table widths of 1400 mm only EPMI is possible!	

Details
Charger and socket units must be ordered separately from the price list “power & data”.

Preparation for socket module Pix	Preparation for socket module Netbox Turn Comfort	double grommet (2 x 250 mm x 90) mm
Preparation for socket module Coni, 3-socket	Preparation for socket module Coni, 6-socket	with split opening for access from both user
Cable grommet large (250 x 90 mm)		sides
Preparation for socket module Power Frame 3-socket		
LI MI RE	MI	MI
		

Sedus temptation high desk

Electrification high desk with function rail

Round grommet with square cover (Ø 70 mm)	
EP1-,EP2-,EP3-,EP4-,EP5-,EP6-{11}	Surcharge per position 36,-
black, neutral white, white aluminium	
FE1-,FE2-,FE3-,FE4-,FE5-,FE6-{24,134,232}	
Round grommet with brushes (Ø 70 mm)	
EP1-,EP2-,EP3-,EP4-,EP5-,EP6-{14}	Surcharge per position 95,-
chrome-plated FE1-,FE2-,FE3-,FE4-,FE5-,FE6-{236}	
Preparation for socket module Point (Ø 80 mm)	
EP1-,EP2-,EP3-,EP4-,EP5-,EP6-{103}	Surcharge per position 6,-
Preparation for Wireless Charger, visible (Ø 60,5 mm)	
EP1-,EP2-,EP3-,EP4-,EP5-,EP6-{112}	Surcharge per position 6,-
Preparation for Wireless Charger, not visible	
EP1-,EP2-,EP3-,EP4-,EP5-,EP6-{104}	Surcharge per position 6,-
Preparation for socket module Pix 1-socket	
EP1-,EP2-,EP3-,EP4-,EP5-,EP6-{113}	Surcharge per position 6,-

Details
Charger and socket units must be ordered separately from the price list “power & data”.

Preparation
Round grommet Ø 70 mm
Round grommet with brushes (Ø 70 mm)

6	5	4
•	•	•
1	2	3

Sedus temptation high desk



Electrification high desk with function rail

Preparation for socket module Pix 2-socket	
EP1-,EP2-,EP3-,EP4-,EP5-,EP6-{114}	Surcharge per position 12,-
Preparation for socket module Pix 3-socket	
EP1-,EP2-,EP3-,EP4-,EP5-,EP6-{115}	Surcharge per position 18,-
Details: EP1,EP3,EP4 and EP6 only possible with table widths greater than 1800 mm!	
Preparation for socket module Netbox Turn Comfort 3-socket	
EP1-,EP2-,EP3-,EP4-,EP5-,EP6-{101}	Surcharge per position 78,-
Details: EP1,EP3,EP4 and EP6 only possible with table widths greater than 1800 mm!	
Preparation for socket module Netbox Turn Comfort 6-socket	
EP2-,EP5-{102}	Surcharge per position 78,-
Details: Not possible on 1200 mm width!	
Preparation for socket module Coni, 3-socket	
EP1-,EP2-,EP3-,EP4-,EP5-,EP6-{106}	Surcharge per position 78,-
Details: EP1,EP3,EP4 and EP6 only possible with table widths greater than 1800 mm!	
Preparation for socket module Coni, 6-socket	
EP2-,EP5-{107}	Surcharge per position 78,-
Cable grommet large (250 x 90 mm)	
EP1-,EP2-,EP3-,EP4-,EP5-,EP6-{13}	Surcharge per position 151,-
black, white aluminium, neutral white	
FE1-,FE2-,FE3-,FE4-,FE5-,FE6-{24,119,134}	
chrome-plated FE1-,FE2-,FE3-,FE4-,FE5-,FE6-{236}	Surcharge per position 388,-
Details: EP1,EP3,EP4 and EP6 only possible with table widths greater than 1800 mm!	
Preparation for socket module Power Frame 3-socket	
EP1-,EP2-,EP3-,EP4-,EP5-,EP6-{17}	Surcharge per position 161,-
socket module frame black, white aluminium, neutral white	
FE1-,FE2-,FE3-,FE4-,FE5-,FE6-{24,119,134}	
Details: EP1,EP3,EP4 and EP6 only possible with table widths greater than 1800 mm!	

Details

Charger and socket units must be ordered separately from the price list “power & data”.

Preparation for socket module Pix	Preparation for socket module Netbox Turn Comfort
Preparation for socket module Coni, 3-socket	Preparation for socket module Coni, 6-socket
Cable grommet large (250 x 90 mm)	
Preparation for socket module Power Frame 3-socket	



Sedus temptation high desk


Electrification high desk with media wall

Round grommet with square cover (Ø 70 mm)	
EPLI-,EPMI-,EPRE-{11}	Surcharge per position 38,-
black, neutral white, white aluminium FELI-,FEMI-,FERE-{24,134, 232}	
Round grommet with brushes (Ø 70 mm)	
EPLI-,EPMI-,EPRE-{14}	Surcharge per position 95,-
chrome-plated FELI-,FEMI-,FERE-{236}	
Preparation for socket module Point (Ø 80 mm)	
EPLI-,EPMI-,EPRE-{103}	Surcharge per position 6,-
Preparation for Wireless Charger, visible (Ø 60,5 mm)	
EPLI-,EPMI-,EPRE-{112}	Surcharge per position 6,-
Preparation for Wireless Charger, not visible	
EPLI-,EPMI-,EPRE-{104}	Surcharge per position 6,-
Preparation for socket module Pix 1-socket	
EPLI-,EPMI-,EPRE-{113}	Surcharge per position 6,-

Details

Charger and socket units must be ordered separately from the price list “power & data”.

- Preparation
- Round grommet Ø 70 mm
- Round grommet with brushes (Ø 70 mm)



Sedus temptation high desk

Electrification high desk with media wall

Preparation for socket module Pix 2-socket	
EPLI-,EPMI-,EPRE-{114}	Surcharge per position 12,-
Preparation for socket module Pix 3-socket	
EPMI-{115}	Surcharge per position 18,-
Preparation for socket module Netbox Turn Comfort 3-socket	
EPLI-,EPMI-,EPRE-{101}	Surcharge per position 78,-
Preparation for socket module Netbox Turn Comfort 6-socket	
EPMI-{102}	Surcharge per position 78,-
Preparation for socket module Coni, 3-socket	
EPLI-,EPMI-,EPRE-{106}	Surcharge per position 78,-
Preparation for socket module Coni, 6-socket	
EPRE-{107}	Surcharge per position 78,-
Cable grommet large (250 x 90 mm)	
EPLI-,EPMI-,EPRE-{13}	Surcharge per position 151,-
black, white aluminium, neutral white FELI-,FEMI-,FERE-{24,119,134}	
chrome-plated FELI-,FEMI-,FERE-{236}	Surcharge per position 388,-
Preparation for socket module Power Frame 3-socket	
EPLI-,EPMI-,EPRE-{17}	Surcharge per position 161,-
socket module frame black, white aluminium, neutral white	
FELI-,FEMI-,FERE-{24,119,134}	

Details

Charger and socket units must be ordered separately from the price list “power & data”.

Preparation for socket module Pix 2-socket	Preparation for socket module Pix 3-socket	Preparation for socket module Coni, 6-socket
Preparation for socket module Coni, 3-socket	Preparation for socket module Netbox Turn Comfort	
Cable grommet large (250 x 90 mm)		
Preparation for socket module Power Frame 3-socket		
LI MI RE	MI	RE

Sedus temptation high desk

Function bridge 3rd level

	Width in mm	800	1000	1200	1400	1600	1800	2000
	Code No. MP90AC-FUNBR	W08	W10	W12	W14	W16	W18	W20
	Price/EUR	143,-	153,-	163,-	173,-	184,-	195,-	210,-


+ Options



Adaption	
Direct adapter GT7-{29}	92,-
Adapter on multifunction groove GT7-{09}	50,-

Sedus temptation high desk

Accessories for function bridge 3rd level

	Tray DIN A4 portrait clear white FS6-{158} Code No. MP900G-TRYPO	60,-
	Tray DIN A4 landscape clear white FS6-{158} Code No. MP900G-TRYLA	60,-
	Pen tray landscape clear white FS6-{158} Code No. MP900G-PETRY	48,-
	Pen box clear white FS6-{158} Code No. MP900G-PENBO	39,-
	Notelet box for 90 x 90 mm notes clear white FS6-{158} Code No. MP900G-NOTBX	48,-

Sedus temptation high desk

Round grommet



Universal round grommet, usable diameter 70 mm with square cover

1 off, without drilling

black, neutral white, white aluminium **FS8--{24,134,232}**

Code No. MP90AC-ROGRS	33,-
------------------------------	------

Desk Accessories



CPU holder for mini-PCs

for high desk with media wall

black, white aluminium, clear white **FS4--{24,119,158}**

Code No. TH90AC-CPUHO	71,-
------------------------------	------

Folding cable tray



for high desk without function rail

Cable tray black	FS4--{24}				
------------------	------------------	--	--	--	--

Width in mm	650	850	1050	1250	1450
-------------	-----	-----	------	------	------

Desk

Code No.	62855	31919	31920	31921	31922
----------	-------	-------	-------	-------	-------

Price/EUR	49,-	53,-	55,-	57,-	59,-
-----------	------	------	------	------	------

Folding cable tray



for high desk with function rail

Cable tray black	FS4--{24}				
------------------	------------------	--	--	--	--

Width in mm	635	835	1035	1235	1435
-------------	-----	-----	------	------	------

Code No. TH90WS-FOCAB	W06	W08	W10	W12	W14
------------------------------	------------	------------	------------	------------	------------

Price/EUR	101,-	113,-	123,-	131,-	145,-
-----------	-------	-------	-------	-------	-------

Vertical cable management



Cable management system with strain relief Desk and floor adapter for fixing to cable tray or electrical connection box

black, translucent white, neutral white **FS6--{24,105,134}**

Code No. TH90AC-CAMVS	137,-
------------------------------	-------

Sedus temptation high desk

Smart box



easy with pen tray	
black	FS4--{24}
Type	easy
Code No. TH90AC-SMABE	
Price/EUR	413,-