

se:lab high desk



MVM Csoport árlista

MAGAS ASZTALOK



sedus

list of contents

Product overview	5
Surface matrix	6 - 7
Product description	8 - 9
high desk agile	10
high desk agile 600 mm deep	10
high desk	12 - 17
high desk 700 mm deep	12
high desk 800 mm deep	13
high desk 900 mm deep	14
high desk 1000 mm deep	15
high desk 1200 mm deep	16
high desk 1400 mm deep	17
Desk accessories / Accessories	18 - 20
CPU holder	18
Laptop holder horizontal	18
tray	18
Folding cable channel	19
Horizontal cable management	19
Vertical cable management	20


The prices are recommended retail prices excl. VAT.
Technical changes in shapes, colours and options are reserved
for all products.

se:lab high desk product overview

high desk agile



high desk



 Veneer grain/design grain Dimensions in mm

Surface Matrix

		Top / ABS edge												
Melamine														
wood selection														
K80	ash light	•												
K81	oak light	•												
K82	oak natural	•												
K98	ash dark	•												
N10	likewood oak	•												
N12	likewood oak honey	•												
architecture line														
K74	natural white	•												
K94	clear white	•												
02	arctic white	•												
K77	light grey	•												
K78	pebble grey	•												
K79	stone grey	•												
K124	black	•												
K170	graphite black	•												
Melamine fire protection class B1														
K74	natural white	•												

Surface Matrix

		Top / ABS edge												
Veneer														
Price-group 1														
B26	beech natural	•												
Q10	hickory natural	•												
Price-group 2														
H11	maple natural	•												
H12	heartwood maple natural	•												
C17	oak wenge varnish	•												
C11	oak natural	•												
C19	rustic beam oak light	•												
D14	walnut smooth	•												
D16	walnut rustic	•												
E41	ash natural	•												
E10	ash white	•												
E45	ash black	•												
U10	elm natural	•												
Price-group 3														
C20	rustic beam oak dark	•												
D11	walnut dark	•												
D15	walnut wild	•												
HPL														
Price-group 2														
J10	soft touch white	•												
J11	soft touch black	•												
J12	soft touch sand	•												

se:lab high desk product description

Product family

The se:lab high desk supports formal and informal communication in the central zone. At a height of 1050 and 900 mm, the high desks invite stand-up communication. Meetings are quicker and brainstorming is stimulated. Changing posture from sitting at a workstation to standing at the high desk during a meeting contributes to well-being and performance.

The product family includes:

- high desks agile
- high desks

Frame system

The frame system is based on a functional frame construction consisting of two leg frames which are bolted together with one or two longitudinal crossbeams. The high-strength connection of the legs with the frame is achieved by means of a stable screw system with 2 screws in order to ensure optimal force transmission into the frame system.

Base

The leg frame has been developed by Sedus and consists of round tubes. These create a filigree and light appearance.

For optimum ergonomics, an all-round chrome foot rail is supplied as standard. It is attached to the leg frames using angled connectors.

The se:lab high desks agile are fitted with four lockable castors as standard.

High desks are fitted with gliders. Optionally, these desks can also be fitted with castors to support use in agile workplace concepts.

Height adjustment:

- standing height 1050 mm
- intermediate height 900 mm

(cross section round tube Ø 40 mm)

Desktop shapes

The following linear desktops are available for the se:lab high desk series:

high desks agile

- widths: 1000, 1200, 1400 mm
- depth: 600 mm

high desks

- widths: 1000, 1200, 1400, 1600, 1800, 2000 mm
- depths: 700, 800, 900, 1000, 1200, 1400 mm

The desktops are available in a 19 mm thick three-layer chipboard with melamine resin finish or veneer. The desktops have 90° corners as standard. Optionally, it is possible to have rounded corners with a radius of r=50.

Product features

high desk

The desktops of the se:lab high desks are connected to the frame by desktop block connectors as standard. Mounting by means of desktop clip connectors is available as an option.

Electrical connection

Horizontal cable management

For horizontal cable management, a set of Velcro strips which can be freely positioned is available. These can be attached under the desktop by means of double-sided adhesive tape. The set includes seven mounting plates with a Velcro strip.

A cable net for free positioning under the desktop is also available. The cable net has a size of 280 x 200 mm and is elastic. It is mounted under the desktop using 6 connection points.

The cable trays, which fold down on both sides, match the width of the desk and attached below the worktop. They can accommodate 3- or 4-socket modules to provide power underneath the desk. The cable trays also have sufficient space for spare cables. When folded down, the cable trays are easily accessible.

Vertical cable management

Cables are invisibly guided from the floor to the cable channel by means of an optional cable conduit. Two options are available for the flexible cable management with cable separation and strain relief:

- free positioning underneath the desktop by means of a bolt connection.
- mounting on the cable tray

Round grommet / Preparation

The Sedus desk series includes various grommets as well as prepared openings for desk connection panels.

When combining grommets/prepared openings for desk connection panels, some width/depth-dependent configurations or those with a cable tray are not possible. For visualisation of the possible combinations, please refer to the OFML files.

Add-on options

CPU holder

The CPU holder is mounted under the desktop. The usable size of the supporting plate is 450 x 205 mm. The maximum load capacity is 10 kg.

Laptop holders

A laptop holder is available for the se:lab high desk programme. The holder is mounted under the desktop. The usable size of the supporting plate is 350 x 330 mm. The maximum load capacity is 10 kg.

Tray

The se:lab tray is a drawer that is attached underneath the desk. It consists of a metal housing, which is screwed under the desktop, and a pull-out felt tray. With internal dimensions of 350 x 225 mm, external dimensions of 382 x 236 mm and a height of 70 mm, the se:lab tray offers sufficient storage space for everyday items, such as pens, notebooks and smartphones. The metal housing can be powder-coated in all common se:lab colours, the felt tray is available in anthracite and light grey. The se:lab tray is optionally available with a lock. The maximum load capacity is 10 kg.

se:lab high desk product description

Surfaces

Frame elements

The steel round tube is finished with solvent-free, environmentally friendly powder coatings. The frame elements are available in

- clear white
- black
- cayenne red
- sand beige
- fjord green
- chrome-plated

Desktops

The desktops are available in the following designs:

19 mm three-layer chipboard:

- melamine resin coating in a single colour or various decorative wood effects (top surface compliant with EN 14322), with all-round PP laser edge in the same colour as the top.
- matt soft touch surfaces with pleasant haptic properties, with all-round 1 mm ABS edge in the same colour as the top The desk with the soft touch desktop does not meet the requirements of the GS test certificate according to DIN Special Report 147, as the 3 mm radius of the edge specified by this standard is not maintained.

The minimum light fastness is 6 on the wool scale. Substrate compliant with EN 312-2003.

19 mm three-layer chipboard:

- high-quality crown cut veneer surface, veneer edge on all sides, surface in a high-quality, durable, two-component water-based polyurethane lacquer

Veneer is a natural product. The colour of the veneer is determined by the type and structure of the wood, and may vary. All woods change colour over time because of the effects of light. Natural differences are not a cause for complaint, but in fact confirm that the material is genuine.

With regard to formaldehyde emissions, the coated particle boards comply with standard E05 according to EN 717-1.

For information on the fulfilment of the surface finish and surface brightness according to DIN Special Report 147, please refer to the Surface Overview.

For more information about maintenance and cleaning of surfaces, see „Care and Cleaning Instructions“.

Packaging

Items are supplied in sections for on-site final assembly in order to keep the transport volume as small as possible.

Quality & ecology

The se:lab high desk programme is designed to meet the following requirements:

- GS test certificate
- DIN Special Report 147
- DIN EN-527-1/2/3 office desks (except for soft touch)
- BGI 650
- DIN EN 16555
- PAH confirmation for relevant components
- Tested for harmful substances
- PEFC certification for wood components

The production processes are certified according to:

- DIN ISO 14001 Environmental management
- DIN ISO 9001 Quality management
- DIN ISO 50001 Energy management
- DIN ISO 45001 Occupational safety

Sedus se:lab high desk

high desk agile 600 mm deep



Basic desk	GTF- {10}		
Melamine	FS1- {see surface matrix}		
Table top mounting via block connectors	GT15- {10}		
Fixed height 1050 mm	GTI- {29}		
Leg support clear white	FS4- {158}		
Foot rail chrome-plated	FRELG- {236}		

Width in mm	1000	1200	1400
-------------	------	------	------

Code No. LH10HC-RECTA	W10D06	W12D06	W14D06
Round tube / Castors (GTO-RRR)	1084,-	1111,-	1137,-

+ Options



Top and edge FS1-**{see surface matrix}**

Veneer I	297,-	328,-	357,-
Veneer II	315,-	355,-	392,-
Veneer III	537,-	594,-	651,-
HPL II	315,-	355,-	392,-
likewood	33,-	37,-	43,-
B1 version K74 MAP-{6060}	22,-	30,-	33,-
Top rounded (r=50 mm) PLE-{02}			65,-



Table top mounting

via clips GT15-{20}	24,-
-----------------------------------	------



Height adjustment

Fixed height 900 mm GTI-{27}
--

Frame options

black FS4-{24}	
chrome-plated FS4-{236}	317,-
fjord green, cayenne red, sand beige, deep green, dark bronze FS4-{157,159,160,170,171}	45,-



Sedus se:lab high desk

high desk 700 mm deep



Basic desk	GTF- {10}
Melamine	FS1- {see surface matrix}
Table top mounting via block connectors	GT15- {10}
Fixed height 1050 mm	GTI- {29}
Leg support clear white	FS4- {158}
Foot rail chrome-plated	FRELG- {236}



Width in mm	1000	1200	1400	1600	1800	2000
Code No. LH10HD-RECTA	W10D07	W12D07	W14D07	W16D07	W18D07	W20D07
Round tube / Glides (GTO-RRS)	1076,-	1105,-	1131,-	1158,-	1184,-	1210,-
Round tube / Castors (GTO-RRR)	1137,-	1165,-	1191,-	1219,-	1244,-	1271,-

+ Options



Top and edge FS1-**{see surface matrix}**

Veneer I	355,-	392,-	430,-	470,-	499,-	526,-
Veneer II	401,-	444,-	487,-	529,-	556,-	583,-
Veneer III	624,-	710,-	794,-	847,-	903,-	956,-
HPL II	401,-	444,-	487,-	529,-	556,-	583,-
likewood	35,-	42,-	49,-	56,-	61,-	69,-
B1 version K74 MAP-{6060}	30,-	33,-	37,-	42,-	49,-	59,-
Top rounded (r=50 mm) PLE-{02}						65,-



Table top mounting

via clips GT15-{20}	24,-
-----------------------------------	------



Height adjustment

Fixed height 900 mm GTI-{27}
--



Frame options

black FS4-{24}	
chrome-plated FS4-{236}	392,-
fjord green, cayenne red, sand beige, deep green, dark bronze FS4-{157,159,160,170,171}	45,-

Sedus se:lab high desk

high desk 800 mm deep



Basic desk	GTF- {10}					
Melamine	FS1- {see surface matrix}					
Table top mounting via block connectors	GT15- {10}					
Fixed height 1050 mm	GTI- {29}					
Leg support clear white	FS4- {158}					
Foot rail chrome-plated	FRELG- {236}					



Width in mm	1000	1200	1400	1600	1800	2000
Code No. LH10HD-RECTA	W10D08	W12D08	W14D08	W16D08	W18D08	W20D08
Round tube / Glides (GTO-RRS)	1097,-	1124,-	1150,-	1178,-	1204,-	1230,-
Round tube / Castors (GTO-RRR)	1158,-	1184,-	1210,-	1239,-	1265,-	1292,-

+ Options



Top and edge FS1-**{see surface matrix}**

Veneer I	371,-	406,-	470,-	515,-	521,-	543,-
Veneer II	422,-	441,-	518,-	562,-	570,-	594,-
Veneer III	680,-	735,-	858,-	933,-	945,-	987,-
HPL II	422,-	441,-	518,-	562,-	570,-	594,-
likewood	39,-	48,-	56,-	61,-	69,-	75,-
B1 version K74 MAP-{6060}	33,-	37,-	42,-	46,-	58,-	64,-
Top rounded (r=50 mm) PLE-{02}						65,-



Table top mounting

via clips GT15-{20}	24,-
-----------------------------------	------



Height adjustment

Fixed height 900 mm GTI-{27}
--



Frame options

black FS4-{24}	
chrome-plated FS4-{236}	458,-
fjord green, cayenne red, sand beige, deep green, dark bronze FS4-{157,159,160,170,171}	45,-

Details

You will find the electrification possibilities in the price list „Overview electrification possibilities (EPOS)“.

Sedus se:lab high desk

high desk 900 mm deep



Basic desk	GTF- {10}					
Melamine	FS1- {see surface matrix}					
Table top mounting via block connectors	GT15- {10}					
Fixed height 1050 mm	GTI- {29}					
Leg support clear white	FS4- {158}					
Foot rail chrome-plated	FRELG- {236}					



Width in mm	1000	1200	1400	1600	1800	2000
Code No. LH10HD-RECTA	W10D09	W12D09	W14D09	W16D09	W18D09	W20D09
Round tube / Glides (GTO-RRS)	1118,-	1144,-	1178,-	1204,-	1230,-	1257,-
Round tube / Castors (GTO-RRR)	1178,-	1204,-	1239,-	1265,-	1292,-	1318,-

+ Options



19 mm

Top and edge FS1-**{see surface matrix}**

Veneer I	395,-	427,-	492,-	529,-	546,-	566,-
Veneer II	429,-	464,-	539,-	576,-	597,-	620,-
Veneer III	716,-	767,-	900,-	963,-	990,-	1032,-
HPL II	429,-	464,-	539,-	576,-	597,-	620,-
likewood	46,-	53,-	60,-	69,-	75,-	89,-
B1 version K74 MAP-{6060}	38,-	44,-	52,-	58,-	64,-	71,-
Top rounded (r=50 mm) PLE-{02}						65,-



Table top mounting

via clips GT15-{20}	24,-
-----------------------------------	------

Height adjustment

Fixed height 900 mm **GTI-**{27}****



Frame options

black FS4-{24}					
chrome-plated FS4-{236}					689,-
fjord green, cayenne red, sand beige, deep green, dark bronze FS4-{157,159,160,170,171}					45,-



Electrification

Folding cable tray (black) GEL-{KA}	48,-	55,-	59,-	61,-	63,-	65,-
Colour of cable tray FKW-{157,158,159,160}						23,-
fjord green, clear white, cayenne red, sand beige						

Details

You will find the electrification possibilities in the price list „Overview electrification possibilities (EPOS)“.

Sedus se:lab high desk

high desk 1000 mm deep



Basic desk	GTF- {10}
Melamine	FS1- {see surface matrix}
Table top mounting via block connectors	GT15- {10}
Fixed height 1050 mm	GTI- {29}
Leg support clear white	FS4- {158}
Foot rail chrome-plated	FRELG- {236}



Width in mm	1000	1200	1400	1600	1800	2000
Code No. LH10HD-RECTA	W10D10	W12D10	W14D10	W16D10	W18D10	W20D10
Round tube / Glides (GTO-RRS)	1124,-	1165,-	1204,-	1244,-	1285,-	1325,-
Round tube / Castors (GTO-RRR)	1184,-	1225,-	1265,-	1304,-	1345,-	1385,-

+ Options



19 mm

Top and edge FS1-**{see surface matrix}**

Veneer I	441,-	492,-	546,-	580,-	589,-	648,-
Veneer II	473,-	533,-	589,-	651,-	669,-	708,-
Veneer III	725,-	821,-	923,-	1088,-	1113,-	1179,-
HPL II	473,-	533,-	589,-	651,-	669,-	708,-
likewood	50,-	58,-	66,-	75,-	89,-	100,-
B1 version K74 MAP-{6060}	45,-	56,-	59,-	64,-	71,-	76,-
Top rounded (r=50 mm) PLE-{02}						65,-



Table top mounting

via clips GT15-{20}	24,-
-----------------------------------	------

Height adjustment

Fixed height 900 mm **GTI-**{27}****



Frame options

black FS4-{24}	
chrome-plated FS4-{236}	754,-
fjord green, cayenne red, sand beige, deep green, dark bronze FS4-{157,159,160,170,171}	45,-



Electrification

Folding cable tray (black) GEL-{KA}	48,-	55,-	59,-	61,-	63,-	65,-
Colour of cable tray FKW-{157,158,159,160}						23,-
fjord green, clear white, cayenne red, sand beige						

Details

You will find the electrification possibilities in the price list „Overview electrification possibilities (EPOS)“.

Sedus se:lab high desk

high desk 1200 mm deep



Basic desk	GTF- {10}
Melamine	FS1- {see surface matrix}
Table top mounting via block connectors	GT15- {10}
Fixed height 1050 mm	GTI- {29}
Leg support clear white	FS4- {158}
Foot rail chrome-plated	FRELG- {236}



Width in mm	1000	1200	1400	1600	1800	2000
Code No. LH10HD-RECTA	W10D12	W12D12	W14D12	W16D12	W18D12	W20D12
Round tube / Glides (GTO-RRS)	1165,-	1204,-	1244,-	1285,-	1325,-	1364,-
Round tube / Castors (GTO-RRR)	1225,-	1265,-	1304,-	1345,-	1385,-	1425,-

+ Options



19 mm

Top and edge FS1-**{see surface matrix}**

Veneer I	492,-	565,-	639,-	712,-	787,-	858,-
Veneer II	533,-	621,-	703,-	788,-	872,-	953,-
Veneer III	821,-	879,-	1009,-	1144,-	1272,-	1400,-
HPL II	533,-	621,-	703,-	788,-	872,-	953,-
likewood	58,-	69,-	77,-	95,-	106,-	114,-
B1 version K74 MAP-{6060}	56,-	60,-	70,-	78,-	92,-	99,-
Top rounded (r=50 mm) PLE-{02}						65,-



Table top mounting

via clips GT15-{20}	24,-
-----------------------------------	------

Height adjustment

Fixed height 900 mm **GTI-**{27}****



Frame options

black FS4-{24}	
chrome-plated FS4-{236}	881,-
fjord green, cayenne red, sand beige, deep green, dark bronze FS4-{157,159,160,170,171}	45,-



Electrification

Folding cable tray (black) GEL-{KA}	48,-	55,-	59,-	61,-	63,-	65,-
Colour of cable tray FKW-{157,158,159,160}						23,-
fjord green, clear white, cayenne red, sand beige						

Details

You will find the electrification possibilities in the price list „Overview electrification possibilities (EPOS)“.

Sedus se:lab high desk

high desk 1400 mm deep



Basic desk	GTF- {10}
Melamine	FS1- {see surface matrix}
Table top mounting via block connectors	GT15- {10}
Fixed height 1050 mm	GTI- {29}
Leg support clear white	FS4- {158}
Foot rail chrome-plated	FRELG- {236}



Width in mm	1000	1200	1400	1600	1800	2000
Code No. LH10HD-RECTA	W10D14	W12D14	W14D14	W16D14	W18D14	W20D14
Round tube / Glides (GTO-RRS)	1204,-	1244,-	1285,-	1325,-	1364,-	1405,-
Round tube / Castors (GTO-RRR)	1265,-	1304,-	1345,-	1385,-	1425,-	1465,-

+ Options



Top and edge FS1-**{see surface matrix}**

Veneer I	600,-	642,-	684,-	725,-	815,-	900,-
Veneer II	654,-	708,-	760,-	815,-	914,-	1010,-
Veneer III	907,-	1014,-	1121,-	1232,-	1385,-	1538,-
HPL II	654,-	708,-	760,-	815,-	914,-	1010,-
likewood	58,-	77,-	97,-	108,-	118,-	133,-
B1 version K74 MAP-{6060}	59,-	70,-	81,-	95,-	104,-	111,-
Top rounded (r=50 mm) PLE-{02}						65,-



Table top mounting

via clips GT15-{20}	24,-
-----------------------------------	------



Height adjustment

Fixed height 900 mm **GTI-**{27}****



Frame options

black FS4-{24}	
chrome-plated FS4-{236}	1011,-
fjord green, cayenne red, sand beige, deep green, dark bronze FS4-{157,159,160,170,171}	45,-



Electrification


Folding cable tray (black) GEL-{KA}	48,-	55,-	59,-	61,-	63,-	65,-
Colour of cable tray FKW-{157,158,159,160}						23,-
fjord green, clear white, cayenne red, sand beige						

Details

You will find the electrification possibilities in the price list „Overview electrification possibilities (EPOS)“.

Sedus se:lab high desk

Laptop holder horizontal



The maximum load capacity is 10 kg.	
clear white	FS6- {158}
Measurements in mm	350 x 330
Code No. LA90AC-LAPH0	
Price/EUR	161,-

+ Options

Colour accessories	
black, white aluminium	FS6- {24,119}
fjord green, cayenne red, sand beige, deep green, dark bronze	FS6- {157,159,160,170,171} 23,-

CPU holder



The maximum load capacity is 10 kg.	
clear white	FS6- {158}
Measurements in mm	450 x 205
Code No. LA90AC-CPUH0	
Price/EUR	161,-

+ Options

Colour accessories	
black, white aluminium	FS6- {24,119}
fjord green, cayenne red, sand beige, deep green, dark bronze	FS6- {157,159,160,170,171} 23,-

tray




Suspended drawer	
PET felt tray in anthracite	FSC- {V51}
Metal housing in clear white	FS6- {158}
External dimensions 382 x 236 mm	
Measurements in mm	350 x 225
Code No. LA90AC-FTRAY	
Price/EUR	192,-

+ Options

Metal housing	
black	FS6- {24}
fjord green, cayenne red, sand beige, deep green, dark bronze	FS6- {157,159,160,170,171} 23,-
Colour felt tray	
PET felt in light grey	FSC- {V52}
Locking system	
with series locking	GVS- {0301-0360} 34,-

Sedus se:lab high desk

Horizontal cable management



Cable net, elastic and freely positionable

280 x 200 mm with 6 connection points

Code No. **MP90AC-CANET**

23,-



Velcro cable management set

consisting of 7 mounting plates with a Velcro strip for flexible attachment under the table top

Code No. **MP90AC-STRIP**

8,-

Folding cable tray



Cable tray black

FKW-{24}

Width in mm	450	650	850	1050	1250	1450
Desk width in mm	1000	1200	1400	1600	1800	2000

Code No. LA90WS-F0CAB	W10	W12	W14	W16	W18	W20
Price/EUR	42,-	49,-	53,-	55,-	57,-	59,-

+ Options

Colour of cable tray

fjord green, clear white, cayenne red, sand beige, deep green, dark bronze **FKW-{157,158,159,160,170,171}**

23,-

Details

Not possible on 600 mm, 700 mm and 800 mm deep!

Sedus se:lab high desk

Vertical cable management



Cable management system with cable tension relief device; desk and floor adapter for fixing to cable tray

for height adjustment by gas spring or by electric motor

black, translucent white, neutral white **FS6-~~{24,105,134}~~**

Code No. **63297**

99,-

Cable management system with strain relief; floor adapter and desk mounting for free positioning

black, translucent white, neutral white **FS6-~~{24,105,134}~~**

Code No. **MP90AC-CAMEL**

99,-