

se:café bar



MVM Csoport árlista

TEAKONYHA ÉS BÜFÉ PULTOK



sedus


list of contents

Product overview	4 - 5
System overview	6 - 8
Surface matrix	10 - 11
Product description	12 - 20
Housing wall module	22 - 23
Housing wall module with tall cabinet	24 - 27
Housing room divider	28 - 29
Bottom cabinet	30
Appliance panel	31
Tall cabinet	32 - 34
Housing Island	36 - 37
Bar table	38 - 39
Accessories	40
Sink	40
High-pressure tap	40
Cutlery insert	40
Anti-slip mat	40
Water protection map	40
Waste bin	40
Accessories for functional rail	41
Tablet	41
Tray	41
Kitchen roll holder	41
Planter	41
White board holder	41


The prices are recommended retail prices excl. VAT.
Technical changes in shapes, colours and options are reserved
for all products.

se:café bar product overview

Wall module / room divider




Wall module with tall cabinet




Dimensions in mm

se:café bar product overview


Island



Island + bar table



se:café bar system overview




se:café bar system overview



Housing wall module with tall cabinet left and right

CK20EN-ENWUN

(STVA-{40})



se:café bar system overview



Surface Matrix

Melamine		Front bottom cabinet	Carcass bottom cabinet	Front top cabinet	Carcass top cabinet	Niche frame	Niche back panel	Side panel	Back panel bottom cabinet	Plinth panel	Side panel tall cabinet	Front tall cabinet	Carcass tall cabinet
<i>wood selection</i>													
K80	ash light	•		•	•	•	•	•	•	•	•	•	
K81	oak light	•		•	•	•	•	•	•	•	•	•	
K82	oak natural	•		•	•	•	•	•	•	•	•	•	
K98	ash dark	•		•	•	•	•	•	•	•	•	•	
N10	likewood oak	•		•	•	•	•	•	•	•	•	•	
N12	likewood oak honey	•		•	•	•	•	•	•	•	•	•	
<i>architecture line</i>													
K74	natural white	•	•	•	•	•	•	•	•	•	•	•	
K94	clear white	•	•	•	•	•	•	•	•	•	•	•	
02	arctic white	•	•	•	•	•	•	•	•	•	•	•	
K77	light grey	•	•	•	•	•	•	•	•	•	•	•	
K78	pebble grey	•	•	•	•	•	•	•	•	•	•	•	
K79	stone grey	•	•	•	•	•	•	•	•	•	•	•	
K124	black	•	•	•	•	•	•	•	•	•	•	•	
K170	graphite black	•	•	•	•	•	•	•	•	•	•	•	
<i>colour harmony</i>													
K87	sand beige	•		•	•	•	•	•	•	•	•	•	
K88	fjord green	•		•	•	•	•	•	•	•	•	•	
K89	pistachio green	•		•	•	•	•	•	•	•	•	•	
K93	antique pink	•		•	•	•	•	•	•	•	•	•	
K95	deep green	•		•	•	•	•	•	•	•	•	•	
K96	creamy yellow	•		•	•	•	•	•	•	•	•	•	
K97	rusty red	•		•	•	•	•	•	•	•	•	•	
Melamine fire protection class B1													
K74	natural white	•	•	•	•	•	•	•	•	•	•	•	

Surface Matrix

		Counter top	Kitchen counter top	Support beam	Panel									
Melamine														
<i>wood selection</i>														
K80	ash light	•		•	•									
K81	oak light	•	•	•	•									
K82	oak natural	•	•	•	•									
K98	ash dark	•		•	•									
N10	likewood oak	•	•	•	•									
N12	likewood oak honey	•		•	•									
<i>architecture line</i>														
K74	natural white	•		•	•									
K94	clear white	•	•	•	•									
02	arctic white	•	•	•	•									
K77	light grey	•		•	•									
K78	pebble grey	•	•	•	•									
K79	stone grey	•	•	•	•									
K124	black	•	•	•	•									
K170	graphite black	•	•	•	•									
<i>colour harmony</i>														
K87	sand beige	•	•	•	•									
K88	fjord green	•		•	•									
K89	pistachio green	•		•	•									
K93	antique pink	•		•	•									
K95	deep green	•		•	•									
K96	creamy yellow	•		•	•									
K97	rusty red	•		•	•									
Melamine fire protection class B1														
K74	natural white	•		•	•									

se:café bar product description

Product family

The se:café bar line consists of various catering units that have been specially designed to meet office requirements. The product line consists of modules in different sizes which can be individually configured, depending on the functions and materials. The dimensions of the units and components cannot be changed.

Wall module, room dividers or island modules can stand alone or be freely combined with each other. This creates a variety of positioning options for all areas. Se:café bar thus offers a wide range of design options with a reasonable planning effort at the same time.

It is possible to implement the following functions:

Provision of cold and hot beverages:

- Coffee machine or kettle on the countertop
- Fully automatic coffee machine on the kitchen worktop, also with fixed water connection
- Water treatment system or hot water system in the bottom cabinet
- Water dispenser integrated into the worktop

Storage space:

- For dishes, cutlery, supplies, cleaning agents, consumables
- In the cupboards or openly accessible in the niche on shelves and storage trays

Cleaning / waste:

- Sink and tap integrated into the worktop
- Dishwasher under the worktop
- Waste bin in the bottom cabinet

Refrigeration of drinks and food

- Under-counter cooling unit under the worktop
- Built-in cooling unit in the tall cabinet

Warming up food

- Microwave on the countertop
- Built-in microwave in the tall cabinet

The preparation of freshly cooked meals places increased demands on materials and hygiene and requires qualified staff. This function is not supported, the installation of a cooktop, extractor hood or oven, for example, is excluded.

Areas of application – Work Settings

- As an anchor point in the centre of a Smart Café
- As an alternative to the conventional office kitchen: with a cosy character
- As a space-saving supply module (coffee bar), decentralised in hubs, intermediate zones or in lounge and entrance areas

In the room divider version, se:café bar is used as a zoning element with additional functions at the back:

- Video conference setting (with monitor)
- Workshop setting (with whiteboards)
- Decorative design (with plant boxes, shelves and storage trays)

The island modules are a central meeting point with seating and standing areas. At the same time, they create a separation from the surrounding areas

.

Wall module and room divider CK20EN-ENWUN

Wall module

Characterised by the 5-cm thick frame that surrounds the top and sides of the wall module.

This frame forms the basis of the self-supporting construction: Even if it is positioned against a wall, the unit does not require a connection to the wall for no stability reasons. As a free-standing unit, it can also be used as a room divider.

The niche back panel and the functional rails are fitted between the side frame elements. A horizontal frame element forms the top.

This creates a niche above the countertop that can be customised.

Base units or floor-standing electrical appliances, such as refrigerators and dishwashers, are installed in the area below the countertop.

Concealed behind the bottom cabinets, there is an installation area for the power supply, fresh water and waste water connections as well as for the ventilation of the integrated appliances.

The required supply lines for electricity, fresh water and waste water to the module

must be planned and prepared by the customer.

In the case of room dividers, the pipes must be routed through the floor of the room to the module on site.

Room dividers

The design differs from the wall module in only a few aspects.

- In this case, the functional rails can be used from both sides.
- The bottom cabinets are concealed at the back with a removable back panelling and a plinth panel.

The wall module and room divider are available in 3 widths:

- With 2 bottom cabinets: Height 2095 mm, width 1350 mm, depth 740 mm
- With 3 bottom cabinets: Height 2095 mm, width 1950 mm, depth 740 mm
- With 4 bottom cabinets: Height 2095 mm, width 2550 mm, depth 740 mm

The dimensions of the units and components cannot be changed.

Frame

The frame consists of a vertical frame element on each side.

The horizontal frame element is mounted in between and forms the top of the module.

- 2 side frame elements: Height 2095 mm, depth 344 mm, thickness 50 mm
- 1 vertical frame element: Height 50 mm, depth 344 mm, width 1250mm, 1850mm, 2450mm, with 2 adjustable legs each to balance out uneven floors

Niche

The niche back panel is divided horizontally by functional rails. With one functional rail, the niche panel consists of 2 parts; with 2 functional rails, the niche panel consists of 3 parts.

The functional rails can be used to hang tablets and accessories and integrate lighting. This allows the niche to be flexibly customised to suit the intended use at a later date. The upper section can be fitted with top cabinets.

- Niche back panel: Thickness 50 mm

For the room divider:

- The niche back panel is visible from both sides, front and back have the same colour.

se:café bar product description

- A monitor holder can be screwed to the niche back panel between the functional rails, please refer to the assembly instructions.
The monitor mount must be ordered separately and fulfil the following requirements:
Flat, rigid wall mount (cannot be swivelled, tilted or extended).
Maximum monitor weight: 30 kg

Options

- With one functional rail
- With two functional rails
- With top cabinets and one functional rail
- Only for the room divider: With top cabinets and two functional rails
- Without functional rail: Only possible for modules up to a width of 1950 mm (max. 3 bottom cabinets)
- With splash-proof double sockets


Functional rails

It is possible to include up to 2 function strips, the height positions are predefined.

The lower functional rail is at a height of 1425 mm, so that the tablets and accessories are within easy reach, but there is still enough space for the tap and standard household appliances on the countertop (clearance 500 mm).

The position of the upper function rail at a height of 1738 mm ensures that even larger appliances (e.g. fully automatic coffee machines) can be accommodated on the countertop below (clearance 813 mm).

- Functional rail thickness: 50 mm
Aluminium, powder-coated in black



For the room divider:

The room divider uses functional rails that can be used on both sides, i.e. at the front and back. This means that the functional rails at the front and back are basically the same. Both sides can be used to hang accessories and integrate lighting.

Options

- The functional rails can be used to hang tablets and accessories and integrate lighting.
- The functional rails can be used to integrate lighting.

Accessories for the functional rails

- Tablets 178.5x300 mm / 178.5x600 mm / 178.5x750 mm
- Storage trays 103.5x300 mm / 103.5x600 mm / 178.5x300 mm
- Kitchen roll holder 178.5x300 mm
- Functional rail: Aluminium, powder-coated in black
- Accessories: Steel, powder-coated in black
- Maximum load of tablets and storage trays:
Width up to 600 mm: 3 kg, width 750 mm: 4.5 kg
Maximum load per functional rail: 20 kg

The following accessories are also available for room dividers:

- Planter 134.8 x 425 mm, height 92mm
incl. waterproof planter tray
- Whiteboard holder
For hooking into the functional rails, with anti-lift device,
for Sedus whiteboards LW90AC-BOARD
Please note that 2 functional rails are required on the back for the whiteboard holder

Lighting for the functional rail

The lighting, which is concealed in the functional rails, enhances the inviting character of the unit and ensures flexible illumination of the niche and countertop that can be adapted to suit the specific use. It is indirect, glare-free and dimmable.

2 LED strips are supplied for each functional rail with lighting, the light is emitted upwards and downwards. The LED strips are glued into the grooves provided in the functional rail. They can be replaced if damaged and disposed of separately at the end of use.

For units with lighting, the vertical frame profiles have cable ducts on the inside so that the cables can be routed invisibly downwards into the installation area. It is not possible to retrofit units that were ordered without lighting.

The system is operated via a wireless switch (on / off / dimming), which can be freely positioned on the unit during installation (magnetic or adhesive connection).

For the room divider:

The lights for the front and back of the unit are operated separately:

For example, the work surface can be illuminated at the front, while ambient lighting is set at the back.

LED strips, power supply unit, wireless switch, connection cable and mains cable are supplied to match the configuration.

- For 1 lit profile (on the front or back)
2 LED strips, 1 power supply unit (75 W or 100 W), 1 wireless switch, 1 mains cable 3000 mm
- For 2 lit profiles (on the front or back)
4 LED strips, 1 power supply unit 240 W, 1 wireless switch, 1 mains cable 3000 mm

Technical data:

- LED strip: Colour temperature 4000 K,
Input voltage: 24V DC, power: 14 W/m, luminous flux: 1380 lm/m
- 1-channel wireless switch, colour: black
Dimensions: 43 mm diameter, 17 mm height
Batteries: CR2032
- Power supply unit: LED converter 24 V, 75 W, 100 W or 240 W
Input: 200–240 V AC, 50/60Hz
Output: 24 V DC

se:café bar product description

Top cabinets

The upper section can be fitted with top cabinets.

The top cabinets are fitted into the niche across the entire width and have 1 or 2 fold-up doors:

- Units with 2 bottom cabinets: 1 fold-up door
- Units with 3 or 4 bottom cabinets: 2 fold-up doors, with centre partition, split in the middle

The fold-up doors can be easily opened from below via a concealed opening. The top cabinets are firmly attached to the niche back panel and the side frame elements. It is not possible to add or remove them at a later date. No functional rail can be planned on the top position of the wall module with top cabinets.

For the room divider:

- For room dividers with top cabinets, a functional rail can be planned for the top position, which can only be used at the back. The functional rail is only visible from the front when the top cabinet is opened.

Socket modules


Sockets can be integrated into the niche back panel above the countertop.

- Double socket outlet NETBOX MEB2 IP54, with 2-part sliding cover for protection against splash water, black
- Connection via GST 18 plug connection
- The scope of delivery includes the cut-outs, the socket, connection cable and a 3000-mm mains cable.
- Position in the centre above each bottom cabinet

The customer must prepare a separately fused power supply line for each double socket. It is not permitted to connect several sockets together via a multiple socket.

The back can also be fitted with such a double socket.

The position is predefined: in the lower area of the niche panel, horizontally centred.



Countertop

The countertop has a height of 925 mm. It consists of a 25-mm thick board, the maximum length is 2450 mm. Small household appliances, such as a coffee machine, kettle or microwave, can be placed on the surface.

Integration of coffee machines and water dispensers

It is also possible to integrate professional coffee machines or water dispensers that require a fixed water connection.

When planning for the installation of large appliances, make sure there is sufficient space in the niche, including in terms of height.

A suitable bottom cabinet (cabinet for sink/water connection with door) must be planned underneath.

Procurement, delivery and installation of these appliances is not carried out by Sedus, but by local partners on site. The necessary cut-outs and openings in the countertop as well as the installation and commissioning of the appliances must be carried out by qualified specialists.

Sink and tap integration

As an option, you can order a high-quality sink with matching tap from Sedus, which is perfectly matched to the modules in terms of function, size and appearance.

The position of the sink can be selected in the centre above a bottom cabinet. A suitable bottom cabinet (cabinet for sink/water connection with door or cabinet for sink with pull-out waste collector) must be planned underneath.

In this case, the cut-out for the sink in the countertop is already provided. When installing a sink provided by the customer, the installation dimensions must be checked carefully. In this case, the required sink cut-out in the countertop must be made during installation.

Installation and commissioning of sink and tap appliances must be carried out by qualified specialists.

Countertop design

Melamine is a suitable material if there is no integrated dishwasher or sink. For modules with dishwasher and/or sink, we strongly recommend the 'kitchen countertop' option. The installation of a dishwasher places higher demands on the worktop's resistance to hot water vapours, which escape when the appliance is opened or through the AutoOpen function. The countertop is exposed to greater stress in units where dishes are washed.

- Countertop 25-mm thick, max. 2450 mm wide, melamine-coated chipboard with laser edge, edge matching the countertop colour
- Optional in the kitchen countertop version: Covered with HPL laminate and provided with hot-melt adhesive edges all round, which prevents swelling in the edge area and makes the countertop more impact-resistant and durable.

Accessories

- BLANCO NAYA 5 sink, silgranit in black, 1 sink 445 x 510 mm, sink depth 200mm, without drainage surface
Outer dimensions: Width 515 mm, depth 400 mm with tap ledge,
3 1/2" basket valve, without remote controlled drainage
- BLANCO MILA tap, black, high-pressure tap
Height: 270 mm
Flow rate: 14.4 l/min at 3 bar pressure
The tap is mounted on the sink, a bore hole in the worktop is not required.

Area underneath the countertop

Bottom cabinets or floor-standing electrical appliances, such as an under-counter fridge or dishwasher, are positioned underneath the unit's countertop.

The bottom cabinet/appliance unit is edged on both sides with 25-mm thick side panels that extend to the floor. Each side panel has an adjustable leg to compensate for uneven floors.

The two side panels are connected to the frame on the outside and also to each other via 2 metal crossbars. This creates a stable construction that serves as a support for the countertop.

se:café bar product description

The crossbars are concealed at the front by a recessed grip profile that extends across the entire width of the unit and is used to open the bottom cabinets and appliances. A plinth panel is fitted across the entire width of the unit.

There is sufficient space behind the cabinets for the power supply, fresh water and waste water connections as well as for the ventilation of the integrated appliances.

For the room divider

For free-standing modules, the bottom cabinets are fitted with removable rear panelling and a plinth panel at the back.

Side panels for bottom cabinets

- 25-mm thick, depth 600 mm, height incl. adjustable leg 900 mm

Recessed grip profile

- Recessed grip profile: Aluminium, powder-coated in black

Plinth panel

- 19-mm thick, panel height 90 mm + 10 mm gap for levelling out uneven floors
- ncl. water protection profile for gluing on

Back panelling (for room divider and island):

- 19-mm thick, removable

Bottom cabinets CK20FU-BASE1

The bottom cabinets and floor-standing electrical appliances are positioned below the countertop in the wall module, room divider and island module. They are ordered in addition to the module, and the various bottom cabinet versions can be freely positioned and combined.

- Bottom cabinet width 600 mm, height 875 mm, depth 671 mm
It is not possible to change the dimensions of the cabinets.
- Each bottom cabinet rests on 4 height-adjustable plinth legs.
- Carcase components: 19-mm thick, back panels 10-mm thick, fronts: 19-mm thick

Options

Cabinet with door and one shelf

- With hinged door with 110° hinges
- With 2 shelves
- For supplies, consumables, dishes
- Door hinge optionally on the right or left

Cabinet with 2 drawers and 1 pull-out drawer

- With 2 drawers for cutlery and small accessories
- With 1 pull-out for dishes, supplies, consumables
- High-quality, kitchen-compatible drawer system, steel, in anthracite
- With recessed grip profile in the centre for opening the bottom drawer and the pull-out drawer


Accessories:

- Cutlery insert for drawer, in anthracite, with matt, sound-absorbing surface (ABS-TPU)
- Anti-slip mat for pull-out or drawer, in anthracite

Cabinet for sink/water connection with door

- With hinged door with 110° hinges, without shelf
- For the sink and tap installation
- Suitable for the installation of a water treatment system or water dispenser (Attention: check the space requirements of the appliance!)

- Top shelf with large opening, for installation of a sink or for water and power connection for appliances on the countertop
- 2-part back panel with large opening for water connection and ventilation
- Door hinge optionally on the right or left



Accessories:

- Compact 2-compartment waste bin for installation behind the door:
2 waste bins of 16 litres each, with cover plate as additional shelf
Assembly on site (simple floor mounting)
- Water protection mat:
To be placed on the bottom shelf, absorbs up to 1.9 litres of liquid.

Cabinet for sink with pull-out waste bin

- With high front panel and integrated pull-out waste bin system
- With cover plate as additional shelf above the waste bin
- Suitable for the sink and tap installation
- 2-part back panel with large opening for water connection and ventilation
- Top shelf with large opening for installation of a sink or for water & power connection of appliances on the countertop
- With 2 waste bins: 2 waste bins of 25 litres each or with 3 waste bins: 1 waste bin of 25 litres and 2 waste bins of 11.5 litres each

Accessories:

- Water protection mat: To be placed on the bottom shelf, absorbs up to 1.9 litres of liquid.

Cabinet with pull-out waste bin

- With high front panel and integrated pull-out waste bin system
- With large 2-compartment waste bin: 2 waste bins of 42 litres each
- With cover plate as additional shelf above the waste bin

Undercounter dishwasher and undercounter fridge integration

Floor-standing, **standard household** electrical appliances, such as a fully integrated undercounter fridge or dishwasher, can be placed in the area below the countertop. These appliances are clad with a front panel supplied by Sedus and thus blend in harmoniously. It is opened via the recessed grip profile under the countertop.

You can position the devices as you wish, but make sure that you do not place two devices directly next to each other.

Procurement, delivery, installation and putting the electrical appliances in operation is not carried out by Sedus, but by local partners on site.

The required feed lines for electricity, fresh water and waste water to the unit must be planned and prepared by the customer.

The customer must prepare a separately fused power supply line for each appliance. It is not permitted to connect several appliances together via a multiple socket.

se:café bar product description

The modules are prepared for the uncomplicated integration of standard household refrigerators and dishwashers. Appliances from the catering industry do not meet the requirements for installation in a se:café bar module in terms of dimensions, ventilation, handle and plinth solution. A visually appealing and functionally flawless installation is only possible with standard household appliances.

Appliance panel CK20DP-UNDAP

- Front: 19-mm thick, height: 775 mm, width: 596 mm
- As front panel for fully integrated dishwasher or under-counter refrigerator
- The boreholes in the front panel required for installation depend on the appliances used. They are, therefore, not part of the scope of delivery, but are drilled on site during installation.

The devices must fulfil the following criteria

Refrigeration unit

- Undercounter fridge: the appliance is placed on the floor, under the countertop
- Fully integrated, for furniture front with flat hinge or drag door technology:
The appliance is equipped with a fitting set so that it is possible to fit a Sedus furniture front.
- Width: 600 mm
- Height and depth: an installation height of 850 mm is required for se:café bar.
Standard fully integrated under-counter appliances are height-adjustable in a range of 810–880 mm and have a maximum depth of 580 mm and therefore fit easily into the wall module or an island.

Dishwasher

- Fully integrated, i.e. the appliance is equipped with a fitting set so that it is possible to fit a Sedus furniture front.
The control panel is not visible when the front is closed.
- for niche height 850 mm, niche width 600 mm, plinth height 100 mm, front height up to 750 mm

Wall modules with tall cabinets CK20EN-ENWUN

Wall modules with tall cabinets offer plenty of storage space and the option of integrating a larger refrigerator or microwave within easy reach at eye level.

A tall cabinet can be positioned on the left, right or both sides of a wall module. The wall modules are available in the following widths:

With one tall cabinet (left or right)

- 2 bottom cabinets: Height 2095 mm, width 1937 mm, depth 740 mm
- 3 bottom cabinets: Height 2095 mm, width 2537 mm, depth 740 mm
- 4 bottom cabinets: Height 2095 mm, width 3137 mm, depth 740 mm

With two tall cabinets (left or right)

- 2 bottom cabinets: Height 2095 mm, width 2524 mm, depth 740 mm
- 3 bottom cabinets: Height 2095 mm, width 3124 mm, depth 740 mm
- 4 bottom cabinets: Height 2095 mm, width 3724 mm, depth 740 mm

The dimensions of the units and components cannot be changed.

The design differs from a wall module without tall cabinets in the following aspects:

- Modules with tall cabinets cannot be used as room dividers.
The rear is not panelled and cannot be used; the module is always positioned in front of a wall.
As the modules are self-supporting, do not require a connection to the wall and do not need to be secured against tipping, they can also be installed against a lightweight wall.
- The side frame section is not required where a tall cabinet is installed.
The niche back panel and functional rails are attached to the tall cabinet.
- The side panels next to the bottom cabinet are shortened at the bottom so that the plinth panel runs underneath. The plinth panel is supplied in sections, the butt joint is centred under the bottom cabinets.
- Each tall cabinet is clad on the outside with a 25-mm thick side panel.
This side panel is included in order number CK20EN-ENWUN and does not need to be ordered separately.

Side panels

- Bottom cabinet side panel:
25-mm thick, depth: 671 mm, height: 894.5 mm, with 1 adjustable leg for levelling out uneven floors
- Tall cabinet side panel:
25-mm thick, depth: 740 mm, height: 2094.5 mm, with 2 adjustable legs for levelling out uneven floors

The features and functions in the niche, the countertop and in the area below the countertop are the same as for a wall module without tall cabinets.

Details of

- Frame
- Niche
- Functional rail / accessories / lighting
- Top cabinets
- Socket modules
- Countertop
- Integration of coffee machines and water dispensers
- Sink and tap integration
- Countertop design
- Area underneath the countertop
- Bottom cabinets
- Undercounter dishwasher and undercounter fridge integration
- Appliance panel
- Back panelling
- Recessed grip profile
- Plinth panel

See above, Wall module and room divider

Tall cabinets CK20TU-TALUN

The tall cabinets are ordered in addition to the module.

The cabinet sides are 25 mm thick so that the niche back panel and functional rails can be securely attached.

The cabinets have an internal width of 562 mm to allow the installation of standard domestic refrigerators and microwaves.

- Bottom cabinet width 612 mm, height 2100 mm, depth 740 mm
It is not possible to change the dimensions of the cabinets.
- Each tall cabinet rests on 4 height-adjustable plinth legs.


se:café bar product description

- There is a recess in the back panel of the niches for the installation of refrigerators or microwaves to ensure sufficient ventilation and to guide the connection cables into the installation area of the module.
- The top of the cabinets have a ventilation gap behind the back panel, which must not be covered.
- Carcase components: Side panels 25-mm thick, shelves 19-mm thick, back panels 10-mm thick, fronts: 19-mm thick

Handles

The fronts of the tall cabinets are fitted with a discreet handle on the rim. This ensures an ergonomic opening at reach height, especially for built-in refrigerators.

- Offset handle, aluminium, powder-coated in black



Options

Tall cabinet with a door and shelves

- For dishes, supplies, consumables
- With one 2000-mm high door
- Door hinge optionally on the right or left
- With 1 constructive shelf and 4 shelves
- Shelves can be adjusted in height

Tall cabinet for refrigerator, niche height 1780 mm

- With 1 door 2000 mm high, niche behind it for built-in refrigerators with the niche height of 1780 mm
- Door hinge optionally on the right or left
- Prepared for built-in refrigerator with fixed door design, installation of appliances with sliding door design is also possible

For requirements for the refrigerator, see below, Section Built-in appliances in tall cabinets.

Tall cabinet for refrigerator, niche height 1220 mm

- With 1 door and 1 pull-out at the bottom
- Door hinge optionally on the right or left
- Door 1622 mm high, niche behind it for built-in refrigerators with the niche height of 1220 mm
- Prepared for built-in refrigerator with fixed door design, installation of appliances with sliding door design is also possible
- Pull-out 375 mm high

For requirements for the refrigerator, see below, Section Built-in appliances in tall cabinets.

Tall cabinet for refrigerator, niche height 880 mm and door

- With 2 doors
- Door hinge optionally on the right or left
- At the top, 1222-mm high door, niche behind it for built-in refrigerators with the niche height of 880 mm
- Prepared for built-in refrigerator with fixed door design, installation of appliances with sliding door design is also possible
- Bottom door 775 mm with 2 shelves (we only implement this after the pre-series)

For requirements for the refrigerator, see below, Section Built-in appliances in tall cabinets.

Tall cabinet for microwave, niche height 380 mm and refrigerator, niche height 880 mm

- With 2 doors and appliances niche for the microwave
- Door hinge optionally on the right or left
- Top with door 412.5 mm high, handleless opening (push-to-open), optionally with handle
- Open niche for the built-in microwave
- Bottom with door 1193.5 mm high for built-in refrigerators with the niche height of 880 mm
- Prepared for built-in refrigerator with fixed door design, installation of appliances with sliding door design is also possible

For requirements for the refrigerator and the microwave, see below, Section Built-in appliances in tall cabinets.

Tall cabinet for microwave, niche height 380 mm and door

- With 2 doors and appliances niche for the microwave
- Door hinge optionally on the right or left
- Top with door 412.5 mm high, handleless opening (push-to-open), optionally with handle
- Open niche for the built-in microwave
- Bottom with door 1193.5 mm high, with 2 shelves

For requirements for the microwave, see below, Section Built-in appliances in tall cabinets.

Tall cabinet with an open niche

- With 2 doors and open niche
- Door hinge optionally on the right or left
- Top with door 412.5 mm high, handleless opening (push-to-open), optionally with handle
- Open niche for installing a microwave or coffee machine (free-standing appliances)
- Optionally with a socket in the niche: NETBOX MEB2 IP54 double socket outlet, with 2-part sliding cover, connection via GST 18 plug connection
The scope of delivery includes the milling in the back panel, the socket outlet, the connection cable and a 3000-mm mains cable
The customer must prepare a separately fused power supply line for each double socket outlet.
- Bottom with door 775 mm high, with 2 shelves

se:café bar product description

Built-in appliances in tall cabinets

The tall cabinets are suitable for the installation of standard domestic built-in fridges or built-in microwaves.

Procurement, delivery, installation and putting the electrical appliances in operation is not carried out by Sedus, but by local partners on site.


The required feed lines for electricity must be planned and prepared by the customer. The customer must prepare a separately fused power supply line for each appliance. It is not permitted to connect several devices via a multi-way socket.

Built-in refrigerator

These refrigerators are clad with a front panel supplied by Sedus and thus blend in harmoniously into the unit. There are tall cabinets available for appliances of different sizes (for niche heights of 1780 mm, 1228 mm or 881 mm).

Requirements for the refrigeration unit

- Fully integrated, with fixed door or sliding door technology
- For cabinet width of 60 cm




Built-in microwave

The microwaves are installed in an open niche. The appliances are equipped with a front frame that completely closes off the niche from the front.

When selecting the appliances, make sure to observe the maximum projection dimensions of the front frame specified below.

Requirements for the microwave

- Built-in microwave, niche height 382 mm
- For cabinet width of 60 cm
- For niche dimensions:
Interior height: 382 mm, interior width: 562 mm
- Front protrusion top maximum: 2,5 mm
Front protrusion bottom maximum: 3 mm



Island modules CK20EN-ENISL

All island modules are freely arranged in the room.

The bottom cabinets, which are also used in the wall module, form the basis. It is possible to integrate all bottom cabinets including the corresponding functions, as well as a dishwasher or an under-counter refrigerator.

The bottom cabinet/appliance unit is edged on both sides with 25-mm thick side panels that extend to the floor. Each side panel has an adjustable leg to compensate for uneven floors.

The two side panels are connected to the frame on the outside and also to each other via 2 metal crossbars.

This creates a stable construction that serves as a support for the countertop. The crossbars are concealed at the front by a recessed grip profile that extends across the entire width of the unit and is used to open the bottom cabinets and appliances.

The countertop consists of a 25-mm thick board, the maximum length is 2450 mm.

Each bottom cabinet rests on 4 height-adjustable plinth feet. A plinth panel is fitted across the entire width of the unit.

The bottom cabinets are fitted with removable rear panelling at the back. It can be removed to gain access to the installation area.

There is sufficient space behind the cabinets for the power supply, fresh water and waste water connections as well as for the ventilation of the integrated appliances.

The required feed lines for electricity, fresh water and waste water to the unit must be planned and prepared by the customer.

Island with back panelling

- Compact solution for standing and more storage space
- Bottom cabinet line with functions on the front
- Attractive design at the back with rear panelling, recessed grip profile and plinth panel. In this case, the recessed grip profile is purely decorative, emphasising the homely character of the unit.

The island modules with back panelling are available in 3 widths:

- For 2 bottom cabinets: Height 925 mm, width 1250 mm, depth 740 mm
- For 3 bottom cabinets: Height 925 mm, width 1850 mm, depth 740 mm
- For 4 bottom cabinets: Height 925 mm, width 2450 mm, depth 740 mm

Island with seating option at the back

- Compact solution for standing and sitting and more storage space
- Bottom cabinet line with functions on the front
- The countertop and side panels are recessed at the back to create a 360-mm deep seating area for 2-4 people.
- The bottom cabinets are concealed with a removable back panelling.

The island modules with seating at the back are available in 3 widths:

- For 2 bottom cabinets: Height 925 mm, width 1250 mm, depth 1100 mm
- For 3 bottom cabinets: Height 925 mm, width 1850 mm, depth 1100 mm
- For 4 bottom cabinets: Height 925 mm, width 2450 mm, depth 1100 mm

Island modules power cabling

PIX from the Power&Data range can be fitted at the top of the countertop. It is necessary to specify the required boreholes when ordering the island module.


The PIX elements and supply cables are ordered separately from Power & Data. Sockets in the side panels are not possible due to the design.

se:café bar product description

Details of

- Countertop
- Integration of coffee machines and water dispensers
- Sink and tap integration
- Countertop design
- Area underneath the countertop
- Bottom cabinets,
- Undercounter dishwasher and undercounter fridge integration
- Appliance panel
- Side panels
- Back panelling
- Recessed grip profile
- Plinth panel



See above, Wall module and room divider



bar table CK20BT-BARTA

The island modules can be fitted with an extension table. This creates a spacious, cosy meeting place with up to 6 additional places to stand or sit. The extension table consists of a 25-mm thick table top, which is stabilised by an underlying frame construction and invisibly installed metal crossbars. It is attached to the countertop on one side and supported on the other side by a 50-mm thick, floor-standing side panel. The side panel has 2 adjustable legs to balance out uneven floors.

- The extension table can be positioned at the side as an extension of an island or rotated by 90° at the back
- High-desk height extension table: 1050 mm
- In two lengths:
for 4 seats: Length 1525 mm
for 6 seats: Length 2125 mm
- In two depths: Depth 740 mm and 1100 mm



Extension table (bar table) power cabling:

- 3 PIX can be integrated into the frame at the front of the extension table.
In this case, the island module and bar table are prepared accordingly (incl. cable aperture down to the installation area of the island)
- The PIX elements and supply cables must be ordered separately from Power & Data
A power cable (GST18 plug to mains plug) in the country-specific plug version is required for PIX Power and PIX USB-A/C Charger:
pd-000 / 8719 power cable 3 m
- In this case, the island will not receive any further power supply.

Finishes

The wooden components are available in the following designs:

- Melamine resin coating in a single colour or various decorative wood effects (top surface compliant with EN-14322), all visible edges covered with matching coloured edges
- The minimum light fastness is 6 on the wool scale.
- Substrate compliant with EN 312-2003.
- With regard to formaldehyde emissions, the coated particle boards comply with standard E05 according to EN 717-1.

For details on maintaining and cleaning the surfaces see the overview „Care and cleaning instructions“.

Delivery and assembly

Delivery se:café bar modules

- Bottom and tall cabinets (items CK20FU-BASE1 and CK20TU-TALUN) are supplied fully assembled and individually packed.
- The furniture parts and profiles of the modules (items CK20EN-ENWUN and CK20EN-ENISL) are delivered disassembled on disposable transport pallets.
- The CK20BT-BARTA bar table is supplied in two flat packs.
- The accessories are packed in cardboard boxes.

Quality and ecology

The se:café bar cabinet series meets the following requirements:

- GS label (requested)
- Level (requested)
- Greenguard (requested)
- Tested for harmful substances (requested)

The processes for manufacture of the products are certified to the following standards:

- DIN ISO 14001 Environmental management
- DIN ISO 9001 Quality management
- DIN ISO 50001 Energy management
- DIN ISO 45001 Occupational safety
- SA 8000

Sedus se:café bar

Housing Wall module



Wall module	STVA-{10}		
Functional rail at the bottom	NAS-{01}		
Use with the functional rail front top / bottom	PAU-,PAO-{V}		
Niche frame and niche back panel in melamine	FNRA-,FNR-{see surface matrix}		
Side panel of the bottom cabinet in melamine	FSUS-{see surface matrix}		
Back panel of the bottom cabinet in melamine	FSRUS-{see surface matrix}		
Plinth panel in melamine	FO4V-{see surface matrix}		
Countertop in melamine	FAP-{see surface matrix}		
Width in mm	1350	1950	2550
Height in mm	2100	2100	2100
Depth in mm	740	740	740
Type	2ER	3ER	4ER

Code No. CK20EN-ENWUN

Price/EUR	5400,-	5865,-	6382,-
-----------	--------	--------	--------

+ Options



Niche features

without NAS-{N}
(for 2ER + 3ER)

Functional rail at the top NAS-{02}

Functional rail at the bottom + top NAS-{03}	516,-	637,-	760,-
--	-------	-------	-------

Only top cabinet NAS-{04}	48,-	213,-	
---------------------------	------	-------	--

Top cabinet with functional rail at the bottom NAS-{05}	413,-	661,-	692,-
---	-------	-------	-------

Lighting, functional rail

Front bottom BELU-{V}	546,-	546,-	644,-
-----------------------	-------	-------	-------

Front top BELO-{V}	546,-	546,-	644,-
--------------------	-------	-------	-------

Front bottom + top BEL-{V}			1034,-
----------------------------	--	--	--------

Niche frame colour FNRA-{see surface matrix}

likewood / colour harmony	146,-	162,-	178,-
---------------------------	-------	-------	-------

Niche back panel colour FNR-{see surface matrix}

likewood / colour harmony FNRV-{LW}	110,-	161,-	212,-
-------------------------------------	-------	-------	-------

Top cabinet front

likewood / colour harmony FFOS-{LW}	17,-	26,-	34,-
-------------------------------------	------	------	------

Top cabinet carcass

likewood / colour harmony FKOS-{LW}	32,-	52,-	64,-
-------------------------------------	------	------	------

Side panel colour of the bottom cabinet FSUS-{see surface matrix}

likewood / colour harmony			43,-
---------------------------	--	--	------

Back panel colour of the bottom cabinet FO4V-{see surface matrix}

likewood / colour harmony	15,-	22,-	29,-
---------------------------	------	------	------

Material design

B1 version K74 MAP-{6060} Wall module	535,-	675,-	815,-
--	-------	-------	-------

B1 version K74 MAP-{6060_} Top cabinet (NAS-04)	58,-	90,-	114,-
--	------	------	-------

Sedus se:café bar

Housing Wall module

Width in mm	1350	1950	2550
Height in mm	2100	2100	2100
Depth in mm	740	740	740
Type	2ER	3ER	4ER

Code No. CK20EN-ENWUN

+ Options



Electrification

Surcharge per segment

Netbox MEB2 2 x power SG1-,SG2-,SG3-,SG4-{-300_F} LD-{-D,A,I,NL,E}	375,-
Netbox MEB2 2 x power SG1-,SG2-,SG3-,SG4-{-300_E} LD-{-F,B,PL,CZ}	383,-
Netbox MEB2 2 x power SG1-,SG2-,SG3-,SG4-{-300_J} LD-{-CH}	451,-
Netbox MEB2 2 x power SG1-,SG2-,SG3-,SG4-{-300_G} LD-{-GB}	399,-

Countertop and edging FAP-{-see surface matrix}

likewood / colour harmony	32,-	47,-	62,-
Kitchen countertop PLTAP-{-194}	698,-	1021,-	1085,-



Countertop features

Surcharge per segment

Sink with black tap AP1-,AP2-,AP3-,AP4-{-500}	1359,-
Aperture: Ø 70, round grommet AP1-,AP2-,AP3-,AP4-{-16}	38,-
Sink without tap AP1-,AP2-,AP3-,AP4-{-510}	886,-



Aperture design colour

black, neutral white, white aluminium **FAP1-,FAP2-,FAP3-,FAP4-{-24,134,232}**

Sedus se:café bar

Housing wall module with tall cabinet



Wall module with tall cabinet on the left	STVA- {20}		
Wall module with tall cabinet on the right	STVA- {30}		
Functional rail at the bottom	NAS- {01}		
Use with the functional rail front top / bottom	PAU-,PAO- {V}		
Niche frame and niche back panel in melamine	FNRA-,FNR- {see surface matrix}		
Side panel of the bottom cabinet in melamine	FSUS- {see surface matrix}		
Back panel of the bottom cabinet in melamine	FSRUS- {see surface matrix}		
Side panel of the tall cabinet, left / right in melamine	FSHL-,FSHR- {see surface matrix}		
Plinth panel in melamine	F04V- {see surface matrix}		
Countertop in melamine	FAP- {see surface matrix}		

Width in mm	1937	2537	3137
Height in mm	2100	2100	2100
Depth in mm	740	740	740
Type	2ER	3ER	4ER

Code No. CK20EN-ENWUN

Price/EUR	5301,-	5778,-	6307,-
-----------	--------	--------	--------

+ Options

Niche features

without **NAS-**{N}****
(for 2ER + 3ER)

Functional rail at the top **NAS-**{02}****

Functional rail at the bottom + top NAS-{03}	516,-	637,-	760,-
--	-------	-------	-------

Only top cabinet NAS-{04}	48,-	213,-	
---	------	-------	--

Top cabinet with functional rail at the bottom NAS-{05}	413,-	661,-	692,-
---	-------	-------	-------

Lighting, functional rail

Front bottom BELU-{V}	546,-	546,-	644,-
-------------------------------------	-------	-------	-------

Front top BELO-{V}	546,-	546,-	644,-
----------------------------------	-------	-------	-------

Front bottom + top BEL-{V}			1034,-
--	--	--	--------

Niche frame colour **FNRA-**{see surface matrix}****

likewood / colour harmony	146,-	162,-	178,-
---------------------------	-------	-------	-------

Niche back panel colour **FNR-**{see surface matrix}****

likewood / colour harmony FNRV-{LW}			110,-
---	--	--	-------

Top cabinet front

likewood / colour harmony FFOS-{LW}	17,-	26,-	34,-
---	------	------	------

Top cabinet carcass

likewood / colour harmony FKOS-{LW}	32,-	52,-	64,-
---	------	------	------

Side panel colour of the bottom cabinet **FSUS-**{see surface matrix}****

likewood / colour harmony			43,-
---------------------------	--	--	------

Side panel colour of the tall cabinet, left / right **FSHL-,FSHR-**{see surface matrix}****

likewood / colour harmony			56,-
---------------------------	--	--	------

Back panel colour of the bottom cabinet **F04V-**{see surface matrix}****

likewood / colour harmony	15,-	22,-	29,-
---------------------------	------	------	------

Sedus se:café bar

Housing wall module with tall cabinet

Width in mm	1937	2537	3137
Height in mm	2100	2100	2100
Depth in mm	740	740	740
Type	2ER	3ER	4ER

Code No. CK20EN-ENWUN

+ Options

Material design

B1 version K74 MAP-{6060} Wall module	535,-	675,-	815,-
B1 version K74 MAP-{6060_} Top cabinet (NAS-04)	58,-	90,-	114,-
B1 version K74 MAP-{_6060} Tall cabinet	535,-	631,-	631,-

Electrification

Surcharge per segment

Netbox MEB2 2 x power SG1-,SG2-,SG3-,SG4-{300_F} LD-{D,A,I,NL,E}	375,-
Netbox MEB2 2 x power SG1-,SG2-,SG3-,SG4-{300_E} LD-{F,B,PL,CZ}	383,-
Netbox MEB2 2 x power SG1-,SG2-,SG3-,SG4-{300_J} LD-{CH}	451,-
Netbox MEB2 2 x power SG1-,SG2-,SG3-,SG4-{300_G} LD-{GB}	399,-

Countertop and edging **FAP-{see surface matrix}**

likewood / colour harmony	32,-	47,-	62,-
Kitchen countertop PLTAP-{194}	698,-	1021,-	1085,-

Countertop features

Surcharge per segment

Sink with black tap AP1-,AP2-,AP3-,AP4-{500}	1359,-
Aperture: Ø 70, round grommet AP1-,AP2-,AP3-,AP4-{16}	38,-
Sink without tap AP1-,AP2-,AP3-,AP4-{510}	886,-

Aperture design colour

black, neutral white, white aluminium **FAP1-,FAP2-,FAP3-,FAP4-{24,134,232}**

Sedus se:café bar

Housing wall module with tall cabinet



Wall module with tall cabinet on the left and right	STVA-{40}		
Functional rail at the bottom	NAS-{01}		
Use with the functional rail front top / bottom	PAU-,PAO-{V}		
Niche frame and niche back panel in melamine	FNRA-,FNR-{see surface matrix}		
Side panel of the bottom cabinet in melamine	FSUS-{see surface matrix}		
Back panel of the bottom cabinet in melamine	FSRUS-{see surface matrix}		
Side panel of the tall cabinet, left / right in melamine	FSHL-,FSHR-{see surface matrix}		
Plinth panel in melamine	F04V-{see surface matrix}		
Countertop in melamine	FAP-{see surface matrix}		

Width in mm	2524	3124	3724
Height in mm	2100	2100	2100
Depth in mm	740	740	740

Code No. CK20EN-ENWUN

Price/EUR	5242,-	5718,-	6247,-
-----------	--------	--------	--------

+ Options

Niche features

without **NAS-{N}**
(for 2ER + 3ER)

Functional rail at the top **NAS-{02}**

Functional rail at the bottom + top NAS-{03}	637,-	760,-	516,-
Only top cabinet NAS-{04}	213,-	48,-	48,-
Top cabinet with functional rail at the bottom NAS-{05}	661,-	692,-	413,-

Lighting, functional rail

Front bottom BELU-{V}	546,-
Front top BELO-{V}	546,-
Front bottom + top BEL-{V}	1034,-

Niche frame colour FNRA-{see surface matrix}

likewood / colour harmony	146,-	162,-	146,-
---------------------------	-------	-------	-------

Niche back panel colour FNR-{see surface matrix}

likewood / colour harmony FNRV-{LW}	110,-
--	-------

Top cabinet front

likewood / colour harmony FFOS-{LW}	17,-
--	------

Top cabinet carcass

likewood / colour harmony FKOS-{LW}	32,-
--	------

Side panel colour of the tall cabinet, left / right FSHL-,FSHR-{see surface matrix}

likewood / colour harmony	56,-
---------------------------	------

Back panel colour of the bottom cabinet F04V-{see surface matrix}

likewood / colour harmony	15,-
---------------------------	------

Sedus se:café bar

Housing wall module with tall cabinet

Width in mm	1937	2537	3137
Height in mm	2100	2100	2100
Depth in mm	740	740	740
Type	2ER	3ER	4ER

Code No. CK20EN-ENWUN

+ Options

Material design

B1 version K74 MAP-{6060} Wall module	535,-	675,-	815,-
B1 version K74 MAP-{6060_} Top cabinet (NAS-04)	58,-	90,-	114,-
B1 version K74 MAP-{_6060} Tall cabinet	815,-	902,-	902,-

Electrification

Surcharge per segment

Netbox MEB2 2 x power SG1-,SG2-,SG3-,SG4-{300_F} LD-{D,A,I,NL,E}	375,-
Netbox MEB2 2 x power SG1-,SG2-,SG3-,SG4-{300_E} LD-{F,B,PL,CZ}	383,-
Netbox MEB2 2 x power SG1-,SG2-,SG3-,SG4-{300_J} LD-{CH}	451,-
Netbox MEB2 2 x power SG1-,SG2-,SG3-,SG4-{300_G} LD-{GB}	399,-

Countertop and edging **FAP-{see surface matrix}**

likewood / colour harmony	32,-	47,-	62,-
Kitchen countertop PLTAP-{194}	698,-	1021,-	1085,-

Countertop features

Surcharge per segment

Sink with black tap AP1-,AP2-,AP3-,AP4-{500}	1359,-
Aperture: Ø 70, round grommet AP1-,AP2-,AP3-,AP4-{16}	38,-
Sink without tap AP1-,AP2-,AP3-,AP4-{510}	886,-

Aperture design colour

black, neutral white, white aluminium **FAP1-,FAP2-,FAP3-,FAP4-{24,134,232}**

Sedus se:café bar

Housing Room divider



Room divider	STVA-{50}		
Functional rail at the bottom	NAS-{01}		
Use with the functional rail front top / bottom	PAU-,PAO-{V}		
Niche frame and niche back panel in melamine	FNRA-,FNR-{see surface matrix}		
Side panel of the bottom cabinet in melamine	FSUS-{see surface matrix}		
Back panel of the bottom cabinet in melamine	FSRUS-{see surface matrix}		
Plinth panel in melamine	F04V-,F04H-{see surface matrix}		
Countertop in melamine	FAP-{see surface matrix}		
Width in mm	1350	1950	2550
Height in mm	2100	2100	2100
Depth in mm	740	740	740
Type	2ER	3ER	4ER

Code No. CK20EN-ENWUN

Price/EUR	5697,-	6212,-	6779,-
-----------	--------	--------	--------

+ Options



Niche features

without NAS-{N}
(for 2ER + 3ER)

Functional rail at the top NAS-{02}			
Functional rail at the bottom + top NAS-{03}	516,-	637,-	760,-
Only top cabinet NAS-{04}	48,-	213,-	
Top cabinet with functional rail at the bottom NAS-{05}	413,-	661,-	692,-
Top cabinet with functional rail at the top NAS-{06}	413,-	661,-	692,-
Top cabinet with functional rail at the bottom + top NAS-{07}	647,-	965,-	1069,-

Use with the functional rail at the top / top

Back PAU-,PAO-{R}			
both sides PAU-,PAO-{VR}	21,-	31,-	40,-

Lighting, functional rail

Front bottom BELU-{V}	546,-	546,-	644,-
Front top BELO-{V}	546,-	546,-	644,-
Front bottom + top BEL-{V}			1034,-
Back bottom BELU-{R}	546,-	546,-	644,-
Back top BELO-{R}	546,-	546,-	644,-
Back bottom + top BEL-{R}			1034,-

Niche frame colour FNRA-{see surface matrix}

likewood / colour harmony	146,-	162,-	178,-
---------------------------	-------	-------	-------

Niche back panel colour FNR-{see surface matrix}

likewood / colour harmony FNRV-{LW}	110,-	161,-	212,-
-------------------------------------	-------	-------	-------

Top cabinet front

likewood / colour harmony FFOS-{LW}	17,-	26,-	34,-
-------------------------------------	------	------	------

Top cabinet carcass

likewood / colour harmony FKOS-{LW}	32,-	52,-	64,-
-------------------------------------	------	------	------

Side panel colour of the bottom cabinet FSUS-{see surface matrix}

likewood / colour harmony			43,-
---------------------------	--	--	------

Back panel colour of the bottom cabinet

likewood / colour harmony FSRUS-{LW}	47,-	69,-	91,-
--------------------------------------	------	------	------

Plinth panel colour front/back

Surcharge for each side			
likewood / colour harmony F04V-,F04H-{LW}	15,-	22,-	29,-

Sedus se:café bar

Housing Room divider

Width in mm	1350	1950	2550
Height in mm	2100	2100	2100
Depth in mm	740	740	740
Type	2ER	3ER	4ER

Code No. CK20EN-ENWUN

+ Options

Material design

B1 version K74 MAP-{6060.} Room divider	631,-	817,-	902,-
B1 version K74 MAP-{6060_} Top cabinet (NAS-04)	58,-	90,-	114,-

Electrification

Surcharge per segment

Netbox MEB2 2 x power SG1-,SG2-,SG3-,SG4-{300_F} LD-{D,A,I,NL,E}	375,-
Netbox MEB2 2 x power SG1-,SG2-,SG3-,SG4-{300_E} LD-{F,B,PL,CZ}	383,-
Netbox MEB2 2 x power SG1-,SG2-,SG3-,SG4-{300_J} LD-{CH}	451,-
Netbox MEB2 2 x power SG1-,SG2-,SG3-,SG4-{300_G} LD-{GB}	399,-

Power cabling, back

Netbox MEB2 2 x power ERS-{300_F} LD-{D,A,I,NL,E}	375,-
Netbox MEB2 2 x power ERS-{300_E} LD-{F,B,PL,CZ}	383,-
Netbox MEB2 2 x power ERS-{300_J} LD-{CH}	451,-
Netbox MEB2 2 x power ERS-{300_G} LD-{GB}	399,-

Countertop and edging FAP-{see surface matrix}

likewood / colour harmony	32,-	47,-	62,-
Kitchen countertop PLTAP-{194}	698,-	1021,-	1085,-

Countertop features

Surcharge per segment

Sink with black tap AP1-,AP2-,AP3-,AP4-{500}	1359,-
Aperture: Ø 70, round grommet AP1-,AP2-,AP3-,AP4-{16}	38,-
Sink without tap AP1-,AP2-,AP3-,AP4-{510}	886,-

Aperture design colour

black, neutral white, white aluminium **FAP1-,FAP2-,FAP3-,FAP4-{24,134,232}**

Sedus se:café bar

Bottom cabinet



with 2 shelves and door	E99-{500}				
with 2 drawers and 1 pull-out drawer	E99-{501}				
for sink/water connection with door	E99-{502}				
for sink with pull-out waste bin	E99-{503}				
with pull-out waste bin	E99-{504}				
Hinges left	GTA-{LI}				
Front in melamine	FS1-{see surface matrix}				
Korpus in architecture line	FS3-{see surface matrix}				
Width in mm	600	600	600	600	600
Height	875	875	875	875	875
Depth in mm	671	671	671	671	671
Type	E99_500	E99_501	E99_502	E99_503	E99_504

Code No. CK20FU-BASE1

Price/EUR	783,-	1945,-	850,-	1602,-	1416,-
-----------	-------	--------	-------	--------	--------

+ Options

Hinges

Hinges right GTA-{RE}

Front F01-{see surface matrix}

likewood / colour harmony	41,-
---------------------------	------

Setup

Waste bin 2 x 25 l E00-{700}
for E99-{503}

Waste bin 1 x 25 l and 2 x 11.5 l E00-{701}
for E99-{503}

Waste bin 2 x 42 l E00-{702}
for E99-{504}



Material design

B1 version K74 MAP-{6060}	137,-
---------------------------	-------

Sedus se:café bar

Appliance panel for under-counter appliances



Refrigerator	E99- {505}	
Dishwasher	E99- {506}	
Front in melamine	F01- {see surface matrix}	
Korpus in architecure line	FS3- {see surface matrix}	
Width in mm	596	596
Height	775	775
Depth in mm	19	19
Type	Refrigerator	Dishwasher
Code No. CK20DP-UNDAP		
Price/EUR	234,-	234,-

+ Options

Front F01-{see surface matrix}		
likewood / colour harmony		41,-
Material design		
B1 version K74 MAP-{6060}		49,-

Sedus se:café bar

Tall cabinet



With a door and 4 shelves (plus 1 constructive shelf)	E99- {507}
Wall module Functional rail at the bottom	AWM- {01}
Hinges left	GTA- {LI}
Front and carcass in melamine	F01-,FS3- {see surface matrix}
Cast handle	GG1- {33}
Type	E99- {507}

Code No. CK20TU-TALUN

Price/EUR	1194,-
-----------	--------

+ Options

Hinges

Hinges right GTA-**{RE}**

Front F01-**{see surface matrix}**

likewood / colour harmony	45,-
---------------------------	------

Carcass FS3-**{see surface matrix}**


likewood / colour harmony	266,-
---------------------------	-------

Material design

B1 version K74 MAP- {6060}	408,-
-----------------------------------	-------

Sedus se:café bar

Tall cabinet for built-in refrigerators



Cabinet for a refrigerator 1780 mm	E99- {508}			
Cabinet for a refrigerator 1220 mm / pull-out at the bottom, 375 mm	E99- {509}			
Cabinet for a refrigerator 880 mm / door with 1 shelf at the bottom, 775 mm	E99- {510}			
Cabinet for a refrigerator 880 mm / niche 380 mm and door 450 mm at the top	E99- {511}			
Hinges left	GTA- {LI}			
Front and carcass in melamine	F01-,FS3- {see surface matrix}			
Cast handle	GG1- {33}			
Type	E99- {508}	E99- {509}	E99- {510}	E99- {511}
Code No. CK20TU-TALUN				
Price/EUR	988,-	1843,-	1092,-	1111,-

+ Options

Hinges

Hinges right GTA-**{RE}**

Front F01-**{see surface matrix}**

likewood / colour harmony	45,-	36,-	45,-	27,-
---------------------------	------	------	------	------

Carcass FS3-**{see surface matrix}**

likewood / colour harmony	176,-	177,-	187,-	202,-
---------------------------	-------	-------	-------	-------

Material design

B1 version K74 MAP- {6060}	307,-		321,-	316,-
-----------------------------------	-------	--	-------	-------

Sedus se:café bar

Tall cabinet with a niche



Cabinet with a niche 380 mm / door 1170 mm with 2 shelves at the bottom / door 450 mm at the top	E99- {512}	
Cabinet with a niche 760 mm / door 790 mm with 1 shelf at the bottom / door 450 mm at the top	E99- {513}	
Hinges left	GTA- {LI}	
top: push to open	GG4- {31}	
Front and carcass in melamine	F01-,FS3- {see surface matrix}	
Type	E99- {512}	E99- {513}

Code No. CK20TU-TALUN

Price/EUR	1062,-	1072,-
-----------	--------	--------

+ Options

Hinges

Hinges right GTA-**{RE}**

Handle, top

Cast handle GG4-**{33}**

Front F01-**{see surface matrix}**

likewood / colour harmony	27,-	18,-
---------------------------	------	------

Carcass FS3-**{see surface matrix}**

likewood / colour harmony	217,-	235,-
---------------------------	-------	-------

Material design

B1 version K74 MAP- {6060}	331,-	336,-
-----------------------------------	-------	-------

Electrification

Surcharge per segment

Netbox MEB2 2 x power SG1- {300_F} LD- {D,A,I,NL,E}	375,-
Netbox MEB2 2 x power SG1- {300_E} LD- {F,B,PL,CZ}	383,-
Netbox MEB2 2 x power SG1- {300_J} LD- {CH}	451,-
Netbox MEB2 2 x power SG1- {300_G} LD- {GB}	399,-



Sedus se:café bar

Housing island
with back panelling



Island with back panelling	STVA- {60}		
Side panel of the bottom cabinet in melamine	FSUS- {see surface matrix}		
Back panel of the bottom cabinet in melamine	FSRUS- {see surface matrix}		
Plinth panel in melamine	F04V-, F04H- {see surface matrix}		
Countertop in melamine	FAP- {see surface matrix}		

Height in mm	925	925	925
Depth in mm	740	740	740
Type	2ER	3ER	4ER

Code No. CK20EN-ENISL

Price/EUR	2141,-	2286,-	2529,-
-----------	--------	--------	--------

+ Options

Side panel colour of the bottom cabinet FSUS-**{see surface matrix}**

likewood / colour harmony	50,-		
---------------------------	------	--	--

Back panel colour of the bottom cabinet

likewood / colour harmony FSRUS- {LW}	40,-	59,-	77,-
--	------	------	------

Plinth panel colour front/back

Surcharge for each side

likewood / colour harmony F04V-, F04H- {LW}	15,-	22,-	29,-
--	------	------	------

Material design

B1 version K74 MAP- {6060}	161,-	235,-	310,-
-----------------------------------	-------	-------	-------

Mounting for bar table

Bar table on the left VBT- {10}	26,-		
Bar table on the right VBT- {20}	26,-		
Bar table in the centre 90 degrees to the back VBT- {30}	26,-		

Countertop and edging FAP-**{see surface matrix}**

likewood / colour harmony	33,-	49,-	65,-
Kitchen countertop PLTAP- {194}	809,-	1243,-	1307,-

Countertop features

Surcharge per segment

Sink with black tap AP1-, AP2-, AP3-, AP4- {500}	1359,-		
Aperture: Ø 70, round grommet AP1-, AP2-, AP3-, AP4- {16}	38,-		
Sink without tap AP1-, AP2-, AP3-, AP4- {510}	886,-		
Preparation for Pix 1-socket AP1-, AP2-, AP3-, AP4- {113}	6,-		
Preparation for Pix 2-socket AP1-, AP2-, AP3-, AP4- {114}	12,-		

Aperture design colour

black, neutral white, white aluminium FAP1-, FAP2-, FAP3-, FAP4-**{24,134,232}**

Bar table version

with Electrification AUBT- {20}	16,-		
--	------	--	--



Sedus se:café bar

Housing island

with a seating option at the back



Island with a seating option at the back	STVA-{70}		
Side panel of the bottom cabinet in melamine	FSUS-{see surface matrix}		
Back panel of the bottom cabinet in melamine	FSRUS-{see surface matrix}		
Plinth panel in melamine	F04V-,F04H-{see surface matrix}		
Countertop in melamine	FAP-{see surface matrix}		
Height in mm	925	925	925
Depth in mm	1100	1100	1100
Type	2ER	3ER	4ER

Code No. CK20EN-ENISL

Price/EUR	1967,-	2129,-	2389,-
-----------	--------	--------	--------

+ Options

Side panel colour of the bottom cabinet FSUS-{see surface matrix}

likewood / colour harmony	73,-
---------------------------	------

Back panel colour of the bottom cabinet

likewood / colour harmony FSRUS-{LW}	40,-	59,-	77,-
--------------------------------------	------	------	------

Plinth panel colour front/back

Surcharge for each side

likewood / colour harmony F04V-,F04H-{LW}	15,-	22,-	29,-
---	------	------	------

Material design

B1 version K74 MAP-{6060}	189,-	276,-	364,-
---------------------------	-------	-------	-------

Mounting for bar table

Bar table on the left VBT-{10}	26,-
--------------------------------	------

Bar table on the right VBT-{20}	26,-
---------------------------------	------

Countertop and edging FAP-{see surface matrix}

likewood / colour harmony	49,-	73,-	96,-
---------------------------	------	------	------

Kitchen countertop PLTAP-{194}	966,-	1287,-	1343,-
--------------------------------	-------	--------	--------



Countertop features

Surcharge per segment

Sink with black tap AP1-,AP2-,AP3-,AP4-{500}	1359,-
--	--------

Aperture: Ø 70, round grommet AP1-,AP2-,AP3-,AP4-{16}	38,-
---	------

Sink without tap AP1-,AP2-,AP3-,AP4-{510}	886,-
---	-------

Preparation for Pix 1-socket AP1-,AP2-,AP3-,AP4-{113}	6,-
---	-----

Preparation for Pix 2-socket AP1-,AP2-,AP3-,AP4-{114}	12,-
---	------

Aperture design colour

black, neutral white, white aluminium FAP1-,FAP2-,FAP3-,FAP4-{24,134,232}

Bar table version

with Electrification AUBT-{20}	16,-
--------------------------------	------

Sedus se:café bar

Bar table 740 mm Tiefe



Countertop, panel and support beam in melamine

FAP-,F29-,FTR-{see surface matrix}

Width in mm	1525	2125
Height in mm	1050	1050
Depth in mm	740	740

Code No. CK20BT-BARTA

Price/EUR	1256,-	1294,-
-----------	--------	--------

+ Options

Material design

B1 version K74 MAP-{6060}	223,-	270,-
----------------------------------	-------	-------

Panel F29-{see surface matrix}

likewood / colour harmony		58,-
---------------------------	--	------

Support beam FTR-{see surface matrix}

likewood / colour harmony	44,-	57,-
---------------------------	------	------

Countertop and edging FAP-{see surface matrix}

likewood / colour harmony	42,-	58,-
---------------------------	------	------

Kitchen countertop PLTAP-{194}	1227,-	1283,-
---------------------------------------	--------	--------



Electrification

Preparation for Pix 3-socket GEF-{0115}		18,-
--	--	------

Sedus se:café bar

Bar table 1100 mm Tiefe



Countertop, panel and support beam in melamine	FAP-,F29-,FTR-{see surface matrix}	
Width in mm	1525	2125
Height in mm	1050	1050
Depth in mm	1100	1100
Code No. CK20BT-BARTA		
Price/EUR	1420,-	1470,-

+ Options

Material design		
B1 version K74 MAP-{6060}	306,-	366,-
Panel F29-{see surface matrix}		
likewood / colour harmony		85,-
Support beam FTR-{see surface matrix}		
likewood / colour harmony	48,-	62,-
Countertop and edging FAP-{see surface matrix}		
likewood / colour harmony	62,-	86,-
Kitchen countertop PLTAP-{194}	1261,-	1317,-
Electrification		
Preparation for Pix 3-socket GEF-{0115}		18,-



Sedus se:café bar

Sink

black **FS6-{24}**Code No. **CK90AC-SINKU**

849,-

High-pressure tap

black **FS6-{24}**Code No. **CK90AC-HIGHP**

473,-

Cutlery insert

black **FS6-{24}**Code No. **CK90AC-CUTTR**

84,-

Anti-slip mat

black **FS6-{24}**Code No. **CK90AC-ANTIS**

61,-

Water protection mat

anthrazit **FS6-{09}**Code No. **CK90AC-WATPR**

86,-

Retrofittable waste bin

anthrazit **FS6-{09}**Code No. **CK90AC-WASBI**

163,-

Sedus se:café bar

Tablet for functional rail



Measurements in mm	178,5 x 300	178,5 x 600	178,5 x 750
Code No. CK90AC-SHELF			
Price/EUR	91,-	97,-	115,-

Tray for functional rail



Measurements in mm	103,5 x 300	103,5 x 600	178,5 x 300
Code No. CK90AC-STRAY			
Price/EUR	85,-	145,-	89,-

Kitchen roll holder with functional rail



black FS6-{24}	
Code No. CK90AC-ROLHO	110,-

Planter for functional rail



black FS6-{24}	
Code No. CK90AC-PLANT	264,-

White board holder for functional rail



black FS6-{24}	
Code No. CK90AC-WHIHO	120,-